

07-12-2024:

SUBJECT: Conditions of Approval: Tree Removal Permit #TREE24-09534

The City of Folsom Community Development Department (CDD) has reviewed an application for Tree Removal at **400 Plaza Drive**. The following trees are included in the scope of the application:

Tag#	Common Name	Botanical Name	DSH (inches)	Applicable Finding(s)
1	American Sycamore	Platanus occidentalis	12	FMC 12.16.080(B)(3) - root
	,			damages to concrete curbs and
				asphalt parking lot
2	American Sycamore	Platanus occidentalis	7	FMC 12.16.080(B)(3)
3	American Sycamore	Platanus occidentalis	7	FMC 12.16.080(B)(3)
4	American Sycamore	Platanus occidentalis	17	FMC 12.16.080(B)(3)
5	Camphor Tree	Cinnamomum camphora	11	FMC 12.16.080(B)(3)
6	Camphor Tree	Cinnamomum camphora	10	FMC 12.16.080(B)(3)
7	Camphor Tree	Cinnamomum camphora	8	FMC 12.16.080(B)(3)
8	Camphor Tree	Cinnamomum camphora	13	FMC 12.16.080(B)(3)
9	Camphor Tree	Cinnamomum camphora	13	FMC 12.16.080(B)(3)
10	Camphor Tree	Cinnamomum camphora	7	FMC 12.16.080(B)(3)
11	Camphor Tree	Cinnamomum camphora	8	FMC 12.16.080(B)(3)
12	American Sycamore	Platanus occidentalis	10	FMC 12.16.080(B)(3)
13	American Sycamore	Platanus occidentalis	10	FMC 12.16.080(B)(3)
14	American Sycamore	Platanus occidentalis	11	FMC 12.16.080(B)(3)
15	Camphor Tree	Cinnamomum camphora	8	FMC 12.16.080(B)(3)
16	Camphor Tree	Cinnamomum camphora	9	FMC 12.16.080(B)(3)

The CDD has made the decision to conditionally approve the application based on the following findings:

• The proposal is in conformance with the provisions of FMC 12.16.080(B)(3) – The protected tree or its roots are causing or will cause damage in the near future to any existing permanent structure or feature on the property or on any adjacent property including pools, driveways, and there are no reasonable alternative measures to avoid, prevent or remove and repair the damage or imminent damage.

The following condition(s) have been assigned to this permit:

1. The applicant shall plant a minimum of **1** replacement parking lot shade tree for each parking lot shade tree removed, within **180 days** from the issuance of the tree permit. The replacement trees

shall be from a minimum 15-gallon container and shall be an approved species on the Folsom Master Tree List.

2. The permittee shall defend, protect, indemnify, and hold harmless the City of Folsom and its officials, agents, and employees from any and all claims, demands, suits, causes of action, damages, costs, expenses, losses, or liability, in law or in equity, of every kind and nature whatsoever arising out of or in connection with the issuance of the Tree Permit or the permittee's work performed under the Tree Permit.

The decision on this application is subject to a 10-calendar day appeal period which commences **07-12-2024** and extends through **07-22-2024**. Any party dissatisfied with the determination on this application may file an appeal to the CDD Director. Once issued, the tree removal permit is non-transferable. Should you have any questions regarding this letter, please do not hesitate to call me at (916) 461-6234 or email me at arborist@folsom.ca.us.

Sincerely,

Jim Schubert
Assistant City Arborist