

PLANNING COMMISSION AGENDA October 16, 2019 CITY COUNCIL CHAMBERS 6:30 p.m. 50 Natoma Street Folsom, California 95630

CALL TO ORDER PLANNING COMMISSION: Kevin Duewel, Barbara Leary, Jennifer Lane, Kevin Mallory, Vice Chair Eileen Reynolds, Daniel West, Chair Justin Raithel

Any documents produced by the City and distributed to the Planning Commission regarding any item on this agenda will be made available at the Community Development Counter at City Hall located at 50 Natoma Street, Folsom, California and at the table to the left as you enter the Council Chambers. The meeting is available to view via webcast on the City's website the day after the meeting.

PLEDGE OF ALLEGIANCE

CITIZEN COMMUNICATION: The Planning Commission welcomes and encourages participation in City Planning Commission meetings, and will allow up to five minutes for expression on a non-agenda item. Matters under the jurisdiction of the Commission, and not on the posted agenda, may be addressed by the general public; however, California law prohibits the Commission from taking action on any matter which is not on the posted agenda unless it is determined to be an emergency by the Commission.

MINUTES

The minutes of September 18, 2019 will be presented for approval.

NEW BUSINESS

1. <u>PN 19-368, Enclave at Folsom Ranch Residential Design Review and Determination that the Project is Exempt from CEQA</u>

A Public Meeting to consider a request from KB Home Central California, Inc. for approval of a Residential Design Review Application for 111 single-family residential units located within the previously approved Enclave at Folsom Ranch Subdivision situated at the southwest corner of Alder Creek Parkway and Westwood Drive within the Folsom Plan Area. The Specific Plan classification for the site is SP-GC PD and SP-MLD-PD, while the General Plan land-use designation is GC and MLD. The City, as lead agency, previously determined that the Enclave at Folsom Ranch Subdivision project is entirely consistent with the Folsom Plan Area Specific Plan (FPASP) and therefore the project is exempt from the California Environmental Quality Act as provided by Government Code section 65457 and CEQA Guidelines section 15182. (Project Planner: Principal Planner, Steve Banks / Applicant: KB Home Central California, Inc.)

2. PN 19-310, White Rock Springs Ranch/Carr Trust Subdivision Residential Design Review and Determination that the Project is Exempt from CEQA

A Public Meeting to consider a request from Richmond American Homes for approval of a Residential Design Review Application for 121 single-family residential units located within the previously approved White Rock Springs Ranch Village 1 and Carr Trust Subdivision situated at the northeast and southeast corners of Mangini Parkway and Savannah Parkway within the Folsom Plan Area. The Specific Plan classification for the site is SP-SFHD PD and SP-SFHD, while the General Plan land-use designation is SFHD. The City, as lead agency, previously determined that the White Rock Springs Ranch Subdivision and Carr Trust Subdivision projects are entirely consistent with the Folsom Plan Area Specific Plan (FPASP) and therefore the project is exempt from the California Environmental Quality Act as provided by Government Code section 65457 and CEQA Guidelines section 15182. (Project Planner: Principal Planner, Steve Banks / Applicant: Richmond American Homes)


PLANNING COMMISSION / PLANNING MANAGER REPORT

The next Planning Commission meeting is scheduled for **November 6, 2019**. Additional non-public hearing items may be added to the agenda; any such additions will be posted on the bulletin board in the foyer at City Hall at least 72 hours prior to the meeting. Persons having questions on any of these items can visit the Community Development Department during normal business hours (8:00 a.m. to 5:00 p.m.) at City Hall, 2nd Floor, 50 Natoma Street, Folsom, California, prior to the meeting. The phone number is (916) 461-6203 and FAX number is (916) 355-7274.

In compliance with the Americans with Disabilities Act, if you are a disabled person and you need a disability-related modification or accommodation to participate in the meeting, please contact the Community Development Department at (916) 461-6203, (916) 355-7274 (fax) or kmullett@folsom.ca.us. Requests must be made as early as possible and at least two-full business days before the start of the meeting.

NOTICE REGARDING CHALLENGES TO DECISIONS

The appeal period for Planning Commission Action: Any appeal of a Planning Commission action must be filed, in writing with the City Clerk's Office no later than ten (10) days from the date of the action pursuant to Resolution No. 8081. Pursuant to all applicable laws and regulations, including without limitation, California Government Code Section 65009 and or California Public Resources Code Section 21177, if you wish to challenge in court any of the above decisions (regarding planning, zoning and/or environmental decisions), you may be limited to raising only those issues you or someone else raised at the public hearing(s) described in this notice/agenda, or in written correspondence delivered to the City at, or prior to, the public hearing



PLANNING COMMISSION MINUTES September 18, 2019 CITY COUNCIL CHAMBERS 6:30 P.M. 50 Natoma Street Folsom, CA 95630

<u>CALL TO ORDER PLANNING COMMISSION</u>: Kevin Duewel, Barbara Leary, Jennifer Lane, Kevin Mallory, Vice Chair Eileen Reynolds, Daniel West, Chair Justin Raithel

ABSENT: None

CITIZEN COMMUNICATION: None

MINUTES:

The minutes of September 4, 2019 were approved as submitted.

NEW BUSINESS

1. PN 19-267 Nomination of the Name Kellison to the Folsom Historic Street Name List and Determination that the Project is Exempt from CEQA

A public meeting to consider a request from Ian Cornell, who has proposed that the name "Kellison" be added to the Historic Street Name list. The project is exempt from environmental review under Section 15061(b)(3) of the CEQA Guidelines (Review for Exemption). (Project Planner, Brianna Gustafson, Assistant Planner / Applicant: Ian Cornell)

COMMISSIONER REYNOLDS MOVED TO APPROVE THE PROPOSED STREET NAME KELLISON TO THE CITY OF FOLSOM HISTORIC STREET NAME LIST BASED ON THE FOLLOWING FINDINGS: GENERAL FINDINGS A & B AND CEQA FINDING C.

COMMISSIONER LEARY SECONDED THE MOTION, WHICH CARRIED THE FOLLOWING VOTE:

AYES: DUEWEL, LEARY, LANE, MALLORY, REYNOLDS, WEST, RAITHEL

NOES: NONE ABSTAIN: NONE ABSENT: NONE

2. PN 19-252 Scholar Way Tentative Parcel Map and Determination that the Project is Exempt from CEQA

A Public Hearing to consider a request from USA Properties Fund for a Tentative Parcel Map application to subdivide a 10.2-acre property located at 89 Scholar Way into two parcels that are 5.6 acres and 4.6 acres in size respectively. The zoning classification for the site is SP 95-1 with an underlying specific plan designation of R-4 PD, and the General Plan land-use designation is MHD. The project is categorically exempt under Section 15315 (Minor Land Divisions) of the California Environmental Quality Act (CEQA) Guidelines. (Project Planner: Assistant Planner, Josh Kinkade / Applicant: USA Properties Fund)

COMMISSIONER RAITHEL MOVED TO APPROVE THE SCHOLAR WAY TENTATIVE PARCEL MAP PROJECT CREATING TWO (2) PARCELS AS ILLUSTRATED ON ATTACHMENT 6, WITH THE FOLLOWING FINDINGS: GENERAL FINDINGS A & B, CEQA FINDINGS C-E WITH MODIFICATION TO FINDING D TO STATE: "The cumulative impact of successive projects of the same type in the same place, over time is not significant in this case." TENTATIVE PARCEL MAP FINDINGS F-I WITH MODIFICATION TO FINDING G TO STATE "The design of the tentative parcel map is not likely to cause environmental damage or substantially and unavoidable unavoidably injure wildlife or their habitat." AND CONDITIONS OF APPROVAL NOS. 1-15 WITH ADDITION OF CONDITION NO. 16 TO STATE "Future development shall provide an emergency vehicle access and secondary vehicle access for Parcel 2 along Scholar Way. Details of this vehicle access shall be subject to review and approval by the City of Folsom Community Development Department and Fire Department."

COMMISSIONER REYNOLDS SECONDED THE MOTION, WHICH CARRIED THE FOLLOWING VOTE:

AYES: DUEWEL, LEARY, LANE, MALLORY, REYNOLDS, WEST, RAITHEL

NOES: NONE ABSTAIN: NONE ABSENT: NONE

PLANNING MANAGER REPORT

None
RESPECTFULLY SUBMITTED,
Kelly Mullett, ADMINISTRATIVE ASSISTANT
APPROVED:
Justin Raithel, CHAIR



AGENDA ITEM NO. 1 Type: Public Meeting

Date: October 16, 2019

Planning Commission Staff Report

50 Natoma Street, Council Chambers Folsom, CA 95630

Project:

Enclave at Folsom Ranch Subdivision Residential Design Review

File #:

PN-19-368

Request:

Residential Design Review

Location:

Southwest Corner of Alder Creek Parkway and Westwood Drive

within Folsom Plan Area

Staff Contact:

Steve Banks, Principal Planner, 916-461-6207

sbanks@folsom.ca.us

Property Owner/Applicant

Name: KB Home Central California, Inc.

Address: 3005 Douglas Boulevard, Suite 250


Folsom, CA 95630

Recommendation: Conduct a public meeting and upon conclusion recommend approval of a Residential Design Review Application for 111 single-family residential units as illustrated on Attachments 5 through 9 for the Enclave at Folsom Ranch Subdivision project (PN 19-368) subject to the findings (Findings A-J) and conditions of approval (Conditions 1-14) attached to this report.

Project Summary: The proposed project involves a request for Residential Design Review approval for 111 small-lot single-family residential units located within the previously approved Enclave at Folsom Subdivision project. In particular, the applicant is requesting Design Review approval for three (3) individual master plans within the Subdivision. Four distinct California heritage-themed architectural styles and twelve color and material alternatives are incorporated among the three master plans.

Table of Contents:

- 1 Description/Analysis
- 2 Background
- 3 Conditions of Approval
- 4 Vicinity Map
- 5 Site Plan Exhibit, dated January 29, 2016
- 6 Landscape Plan Exhibits, dated August, 2019
- 7 Street Scene Exhibit, dated August 19, 2019
- 8 Building Elevations and Floor Plans, dated September 17, 2019
- 9 Color and Material Schemes, dated August 23, 2019



AGENDA ITEM NO. 1
Type: Public Meeting

Date: October 16, 2019

10 - Enclave at Folsom Ranch Design Guidelines

Submitted,

PAM JOHNS

Community Development Director

ATTACHMENT 1 DESCRIPTION/ANALYSIS

APPLICANT'S PROPOSAL

The applicant, KB Home, is requesting residential design review approval for 111 single-family residential units situated within the previously approved Enclave at Folsom Ranch Subdivision project. Specifically, the applicant is requesting design review approval for three (3) individual master plans. The master plans include four (4) distinct California heritage-themed architectural styles (Craftsman, Farmhouse, French Cottage, and Spanish) and twelve (12) color and material alternatives.

The proposed master plans, which feature three, two-story models, range in size from 1,654 to 2,102 square feet (3BR/2.5BA to 4BR/2.5) and include an attached two-car garage. The four classic design themes are characterized by a variety of unique architectural elements including distinctive roof shapes and forms, covered front entries, varied door and window design, and enhanced decorative elements. Proposed building materials include stucco, vertical wood siding, cultured stone veneer, brick veneer, board and batten gable ends, wood posts, wood shutters, clay pipe elements, wrought iron details, multi-paned windows, themed garage doors, decorative light fixtures, and concrete roof tiles. In addition, there are 12 distinct color and material alternatives available for each of the master plans resulting in 144 different visual expressions.

POLICY/RULE

<u>Folsom Municipal Code (FMC), Section 17.06.030</u> requires that single-family residential master plans submit a Design Review Application for approval by the Planning Commission.

Residential Design Review

The proposed project is subject to the Enclave at Folsom Ranch Design Guidelines, which were approved by the City Council in 2016. The Design Guidelines are a complementary document to the Folsom Plan Area Specific Plan. The Design Guidelines, which are intended to act as an implementation tool for residential development specifically within the Enclave at Folsom Ranch Subdivision, provide the design framework for architecture, street scene, and landscaping to convey a master plan identity. While these Design Guidelines establish the quality of architectural and landscape development for the master plan, they are not intended to prevent alternative designs and/or concepts that are compatible with the overall project theme.

The following are the general planning principles intended to guide the design of the Enclave at Folsom Ranch Subdivision to ensure quality development:

Implement the City of Folsom General Plan goals for residential projects

- Implement the Folsom Plan Area Specific Plan and Westland Eagle Specific Plan Amendment
- Complement the design guidelines for "Public Realm" space set forth in the Community Design Guidelines that apply to the entire Folsom Plan Area with project-level design standards
- Establish a design framework within which developers, builders, and architects/designers can conceive and produce high quality design and construction within the development

In addition to the general planning principles referenced previously, the Design Guidelines also provide specific direction regarding a number of architectural situations and features including: building forms, building massing, building height, roofscape, elevations, architectural details, entryways, door and windows, architectural lighting, building materials, building colors, and building finishes. The following are examples of architectural situations and features that are relevant to the proposed project:

- Provide a diverse streetscape
- Provide a variety of color and material schemes
- Proportion and placement of architectural forms and elements must be appropriately and authentically applied
- Roof articulation in the form or proper roof pitches and forms should be applied to create a diverse streetscape
- Massing must be appropriate and authentic to each specific architectural style
- Horizontal and vertical articulation is required on all homes
- Front porches are encouraged when appropriate
- Continuation of style-specific architectural elements from the front façade around to the side and rear elevations is encouraged

The Enclave at Folsom Ranch Design Guidelines identify up to four (4) unique architectural styles that are envisioned being implemented within the subdivision including: Artesian Collection, Agrarian Collection, California Collection, and Cottage Collection. The Artesian Collection, which is inspired by the work of Frank Lloyd Wright, is rooted in nature with a focus on integrating design concepts, building materials, and

colors. The Agrarian Collection, which highlights the agricultural history of the region, features styles that are reminiscent of farm buildings and exude a feeling of comfort and familiarity. The California Collection, which blends the cultures of early California residents with a Spanish influence, features a mixture of local building materials and colonial design detailing. The Cottage Collection, which is intended to be a true blend of European and traditional American architecture, showcases a variety of English Cottage, Tudor, and French Cottage styles.

As described in the applicant's proposal, the proposed project features four distinct architectural themes that have been chosen from the design collections referenced above including Craftsman, Farmhouse, French Cottage, and Spanish. Below is a more thorough description of each of these architectural styles:

<u>Craftsman</u>

Influenced by the English Arts and Crafts movement of the late 19th century and stylized by California architects, the Craftsman style focused on exterior elements with tasteful and artful attention to detail. Originating in California, Craftsman architecture relied on the simple house tradition, combining hip and gable roof forms with wide, livable porches, and broad overhanging eaves. Extensive built-in elements define this style, treating details such as windows and porches as if they were furniture. The horizontal nature is emphasized by exposed rafter tails and knee braces below broad overhanging eaves constructed in rustic-textured building materials. The overall effect is the creation of a natural, warm, and livable home of artful and expressive character.

Farmhouse

Emulating the inherent features of the Western Farmhouse style and collective farmhouse vernaculars from which it draws inspiration, the Farmhouse design gathers the intrinsic character elements of the style with refined execution. Blending smooth stucco, vertical clapboard siding, and flat concrete rooftile with clean trim and post detailing, this style maintains the same core material palette as outlined within the Design Guidelines. Front-facing gable roofs articulate the simplistic form, while the entries are expressed with porches, establishing an aesthetic that evokes both warmth and street appeal for the entire community. Overall, the Farmhouse style accurately depicts the essential elements of this style, utilizing a predominantly stucco façade to emphasize its agrarian simplicity.

French Cottage

The French Cottage is a style that evolved out of medieval Tudor and Normandy architecture. This evolving character that eventually resulted in the English and French "Cottage" became extremely popular when the addition of stone and brick veneer details was developed in the 1920's. Although the cottage is looked upon as small and unpretentious, the style was quickly recognized as one of the most popular in America. Designs for the homes typically reflected the rural setting in which they evolved. Many

City of Folsom

established older neighborhoods across the United States contain homes with the charm and character of this unpretentious style. Roof pitches for these homes are steeper than traditional homes, and are comprised of gables, hips, and half-hip forms. The primary material is stucco with heavy use of stone and brick at bases, chimneys, and entry elements. Some of the most recognizable features for this style are the accent details in gable ends, sculptured swooping walls at the front elevation, and tower or alcove elements at the entry.

Spanish

Referencing Folsom Ranch's Spanish Colonial style, the Spanish style respects this quintessentially Californian aesthetic with contemporary flair. This design echoes the required elements of the style as defined by the Design Guidelines. The form is inherently asymmetrical, simplistic in its massing, and is articulated by low-pitched gable gables, 's' tile, and expressed entries. Comprised primarily of stucco, the purity of the style's forms is emphasized through stone masses, and wood accents, adding to subtle beauty of the aesthetic. The stone appears en masse or on parapet elements, serving to accentuate entries. Fenestrations are clean and rectilinear, providing a fresh take on traditional Spanish forms. Refined in its execution, the Spanish style maintains the essential elements of the style, as stated within the Design Guidelines, while illustrating its strong, modern influence through its pure, well-articulated forms.

In reviewing the architecture and design of the project, staff determined that the design of the three proposed master plans (which also include four elevation plans, twelve color and material alternatives, and 144 architectural and visual expressions) accurately reflect the level and type of high quality design features recommended by the Enclave at Folsom Ranch Design Guidelines. Specifically, the master plans are responsive to views on all four building elevations and include a variety of unique architectural elements that create an interesting streetscape scene including: off-set building massing, a mixture of hip and gable roof forms, architectural projections, recessed second-story elements, decorative enhancements, and varied garage door designs.

The proposed building materials, which include stucco, vertical wood siding, cultured stone veneer, brick veneer, board and batten gable ends, wood posts, wood shutters, clay pipe elements, wrought iron details, multi-paned windows, themed garage doors, decorative light fixtures, and concrete roof tiles are consistent with the materials recommended by the Enclave at Folsom Ranch Design Guidelines. In addition, the proposed project includes distinct (earth-tone) color schemes that will enhance the visual interest of each of the master plans. Taking into consideration the aforementioned architectural details, materials, and colors, staff has determined that the design of the master plans is consistent with the design principles established by the Design Guidelines. As a result, staff forwards the following design recommendations to the Commission for consideration:

- 1. This approval is for three, two-story master plans (four building elevations with twelve color and material options and 144 visual expressions) for Enclave at Folsom Ranch Subdivision. The applicant shall submit building plans that comply with this approval and the attached building elevations dated September 17, 2019.
- 2. The design, materials, and colors of the proposed Enclave at Folsom Ranch Subdivision single-family residential units shall be consistent with the submitted building elevations, materials samples, and color scheme to the satisfaction of the Community Development Department.
- 3. The Community Development Department shall approve the individual lot permits to assure no duplication or repetition of the same house, same roof-line, same elevation style, side-by-side, or across the street from each other.
- 4. All mechanical equipment shall be ground-mounted and concealed from view of public streets, neighboring properties and nearby higher buildings. For lots abutting the open space areas, mechanical equipment shall be located out of view from open space areas.
- 5. Decorative light fixtures, consistent with the Enclave at Folsom Ranch Design Guidelines and unique to each architectural design theme, shall be added to the front and rear building elevation of each Master Plan to the satisfaction of the Community Development Department.
- 6. A minimum of one tree shall be planted in the front yard of each residential lot within the subdivision. A minimum of two trees are required along the street-side of all corner lots. All front yard irrigation and landscaping shall be installed prior to a Building Permit Final.

These recommendations listed above are included in the conditions of approval presented for consideration by the Planning Commission (Condition No. 12).

ENVIRONMENTAL REVIEW

The City, as lead agency, previously certified an EIR/EIS for the FPASP. Subsequently, the City determined that the Enclave at Folsom Ranch Subdivision project is entirely consistent with the Folsom Plan Area Specific Plan (FPASP) and therefore the project is exempt from the California Environmental Quality Act as provided by Government Code section 65457 and CEQA Guidelines section 15182. Since that determination was made, none of the events described in Public Resources Code section 21166 or CEQA Guidelines section 15162 (e.g. substantial changes to the project) have occurred. Therefore, no environmental review is required in association with this application.

RECOMMENDATION/PLANNING COMMISSION ACTION

Move to Approve a Residential Design Review Application for 111 single-family residential units as illustrated on Attachments 5 through 9 for the Enclave at Folsom Ranch Subdivision project (PN 19-368) subject to the findings (Findings A-J) and conditions of approval (Conditions 1-14) attached to this report.

GENERAL FINDINGS

- A. NOTICE OF HEARING HAS BEEN GIVEN AT THE TIME AND IN THE MANNER REQUIRED BY STATE LAW AND CITY CODE.
- B. THE PROJECT IS GENERALLY CONSISTENT WITH THE GENERAL PLAN, THE FOLSOM PLAN AREA SPECIFIC PLAN, AND THE ENCLAVE AT FOLSOM DESIGN GUIDELINES.

CEQA FINDINGS

- C. THE CITY, AS LEAD AGENCY, PREVIOUSLY CERTIFIED AN ENVIRONMENTAL IMPACT REPORT/ENVIRONMENTAL IMPACT STATEMENT FOR THE FOLSOM PLAN AREA SPECIFIC PLAN.
- D. THE CITY PREVIOUSLY DETERMINED THAT THE ENCLAVE AT FOLSOM RANCH SUBDIVISION PROJECT IS CONSISTENT WITH THE FOLSOM PLAN AREA SPECIFIC PLAN.
- E. THE CITY PREVIOUSLY DETERMINED THAT THE ENCLAVE AT FOLSOM RANCH SUBDIVISION PROJECT IS EXEMPT FROM THE REQUIREMENTS OF CEQA PURSUANT TO GOVERNMENT CODE SECTION 65457 AND CEQA GUIDELINES SECTION 15182.
- F. NONE OF THE EVENTS SPECIFIED IN SECTION 21166 OF THE PUBLIC RESOURCES CODE OR SECTION 15162 OF THE CEQA GUIDELINES HAVE OCCURRED.
- G. NO ENVIRONMENTAL REVIEW IS REQUIRED FOR THIS APPLICATION.

DESIGN REVIEW FINDINGS

H. THE PROJECT IS GENERALLY IN COMPLIANCE WITH THE GENERAL PLAN, THE FOLSOM PLAN AREA SPECIFIC PLAN, AND THE APPLICABLE ZONING ORDINANCES.

- I. THE PROJECT IS IN CONFORMANCE WITH THE ENCLAVE AT FOLSOM RANCH DESIGN GUIDELINES.
- J. THE BUILDING MATERIALS, TEXTURES, AND COLORS OF THE PROJECT WILL BE COMPATIBLE WITH SURROUNDING DEVELOPMENT AND CONSISTENT WITH THE GENERAL DESIGN THEME OF THE NEIGHBORHOOD.

ATTACHMENT 2 BACKGROUND

BACKGROUND

On November 8, 2016, the City Council approved a Tentative Parcel Map, Vesting Tentative Subdivision Map, and Planned Development Permit for development of a 111-unit single-family residential subdivision (known as the Enclave at Folsom Ranch) on a 14.7-acre site situated at the southwest corner of the intersection of Alder Creek Parkway and Westwood Drive. The Tentative Parcel Map subdivided the larger 75.3-acre parcel into four individual parcels for future sale and development. The Vesting Tentative Subdivision Map subdivided a newly created 14.7-acre parcel into a 111-unit single-family residential subdivision. Lastly, the Planned Development Permit established detailed design guidelines and development regulations for the residential subdivision.

On June 13, 2017, the City Council approved a two-year extension in time for the Tentative Parcel Map, Vesting Tentative Subdivision Map, and Planned Development associated with the previously approved Enclave at Folsom Ranch Subdivision project. The Final Parcel Map for the Enclave at Folsom Ranch Subdivision project was recorded on June 29, 2018. The Final Subdivision Map for the Enclave at Folsom Ranch Subdivision project is expected to be approved by the City Council within the next two months.

GENERAL PLAN DESIGNATION GC (General Commercial) and MLD (Multi-

Family Low Density

SPECIFIC PLAN DESIGNATION SP-GC PD (Folsom Plan Area Specific Plan,

General Commercial Planned Development District and SP-MLD-PD (Folsom Plan Area Specific Plan, Multi-Family Low Density

Planned Development District)

ADJACENT LAND USES/ZONING North: Alder Creek Parkway with

Undeveloped Commercial Land (SP-

GC-PD) Beyond

South: Old Ranch Way with Undeveloped

Multi-Family Residential Land (SP-

MLD-PD) Beyond

East: Westwood Drive with Undeveloped

Single-Family Residential Land (SP-

SFHD-PD) Beyond

West:

Undeveloped Commercial Land (SP-

GC-PD) with East Bidwell Street

Beyond

SITE CHARACTERISTICS

The project site is currently in the process of

being graded. Site improvements

(underground utilities, roadways, curbs, gutters, sidewalks, etc.) are expected to be constructed within the next three months

APPLICABLE CODES

FPASP (Folsom Plan Area Specific Plan)

Enclave at Folsom Ranch Design Guidelines

FMC 17.06, Design Review

Attachment 3 Conditions of Approval

City of Folsom

Page 12

AREA	Responsible	Depar men	CD (P)(E)		CD (P)(E)(B)	CD (P)
IVISION OLSOM PLAN	When	na um baux	В		В	В
CONDITIONS OF APPROVAL FOR THE ENCLAVE AT FOLSOM RANCH SUBDIVISION RESIDENTIAL DESIGN REVIEW PROJECT (PN 19-368) SOUTHWEST CORNER OF ALDER CREEK PARKWAY AND WESTWOOD DRIVE WITHIN FOLSOM PLAN AREA RESIDENTIAL DESIGN REVIEW	Condition/Mitigation Measure	The applicant shall submit final site development plans to the Community Development Department that shall substantially conform to the exhibits referenced below:	 Enclave at Folsom Ranch Site Plan Exhibit, dated September 13, 2019 Landscape Plan Exhibits, dated August, 2019 Street Scene Exhibit, dated August 19, 2019 Building Elevations and Floor Plans, dated September 17, 2019 	This project approval is for the Enclave at Folsom Ranch Subdivision Residential Design Review, which includes design review approval for 111 small-lot single-family residential units located within the previously approved Enclave at Folsom Ranch Subdivision project for the Enclave at Folsom Ranch Subdivision Residential Design Review project (PN 19-368). Implementation of the project shall be consistent with the above-referenced items as modified by these conditions of approval.	Building plans shall be submitted to the Community Development Department for review and approval to ensure conformance with this approval and with relevant codes, policies, standards and other requirements of the City of Folsom.	The project approvals granted under this staff report (Residential Design Review) shall remain in effect for two years from final date of approval (October 16, 2021). Failure to obtain the relevant building (or other) permits within this time period, without the subsequent extension of this approval, shall result in the termination of this approval.
SOUTHWES	Mitigation Measure					
		1,			2.	3.

	SOUTHWES	CONDITIONS OF APPROVAL FOR THE ENCLAVE AT FOLSOM RANCH SUBDIVISION RESIDENTIAL DESIGN REVIEW PROJECT (PN 19-368) SOUTHWEST CORNER OF ALDER CREEK PARKWAY AND WESTWOOD DRIVE WITHIN FOLSOM PLAN AREA RESIDENTIAL DESIGN REVIEW	IVISION OLSOM PLAN	AREA	
	Mitigation Measure	Condition/Mitigation Measure	When	Responsible	_
4.	es.	The owner/applicant shall defend, indemnify, and hold harmless the City and its agents, officers and employees from any claim, action or proceeding against the City or its agents, officers or employees to attack, set aside, void, or annul any approval by the City or any of its agencies, departments, commissions, agents, officers, employees, or legislative body concerning the project. The City will promptly notify the owner/applicant of any such claim, action or proceeding, and will cooperate fully in the defense. The City may, within its unlimited discretion, participate in the defense of any such claim, action or proceeding if both of the following occur:	90	CD (P)(E)(B) PW, PR, FD, PD, NS	
		 The City bears its own attorney's fees and costs; and The City defends the claim, action or proceeding in good faith 			
		The owner/applicant shall not be required to pay or perform any settlement of such claim, action or proceeding unless the settlement is approved by the owner/applicant.			
5.	2	The owner/applicant shall pay all applicable taxes, fees and charges at the rate and amount in effect at the time such taxes. fees and charges become due and navable	В	CD (P)(E)	
9.		If applicable, the owner/applicant shall pay off any existing assessments against the property, or file necessary segregation request and pay applicable fees.	В	CD (E)	T
7.		The City, at its sole discretion, may utilize the services of outside legal counsel to assist in the implementation of this project, including, but not limited to, drafting, reviewing and/or revising agreements and/or other documentation for the project. If the City utilizes the services of such outside legal counsel, the applicant shall reimburse the City for all outside legal fees and costs incurred by the City for such services. The applicant may be required, at the sole discretion of the City Attorney, to submit a deposit to the City for these services prior to initiation of the services. The applicant shall be responsible for reimbursement to the City for the services regardless of whether a	В	CD (P)(E)	T -

	SOUTHWES	CONDITIONS OF APPROVAL FOR THE ENCLAVE AT FOLSOM RANCH SUBDIVISION RESIDENTIAL DESIGN REVIEW PROJECT (PN 19-368) SOUTHWEST CORNER OF ALDER CREEK PARKWAY AND WESTWOOD DRIVE WITHIN FOLSOM PLAN AREA RESIDENTIAL DESIGN REVIEW	IVISION OLSOM PLAN	AREA	
	Mitigation Measure	Condition/Mitigation Measure	When	Responsible	
×.		If the City utilizes the services of consultants to prepare special studies or provide specialized design review or inspection services for the project, the applicant shall reimburse the City for actual costs it incurs in utilizing these services, including administrative costs for City personnel. A deposit for these services shall be provided prior to initiating review of the Final Map, improvement plans, or beginning inspection, whichever is applicable.	В	CD (P)(E)	
်		This project shall be subject to all City-wide development impact fees, unless exempt by previous agreement. This project shall be subject to all City-wide development impact fees in effect at such time that a building permit is issued. These fees may include, but are not limited to, fees for fire protection, park facilities, park equipment, Humbug-Willow Creek Parkway, Light Rail, TSM, capital facilities and traffic impacts. The 90-day protest period for all fees, dedications, reservations or other exactions imposed on this project will begin on the date of final approval (October 16, 2019). The fees shall be calculated at the fee rate in effect at the time of building permit issuance.	В	CD (P)(E), PW, PK	
10.		The owner/applicant agrees to pay to the Folsom-Cordova Unified School District the maximum fee authorized by law for the construction and/or reconstruction of school facilities. The applicable fee shall be the fee established by the School District that is in effect at the time of the issuance of a building permit. Specifically, the owner/applicant agrees to pay any and all fees and charges and comply with any and all dedications or other requirements authorized under Section 17620 of the Education Code; Chapter 4.7 (commencing with Section 65970) of the Government Code; and Sections 65995, and 65995.7 of the Government Code.	В	CD (P)	

Planning Commission Enclave at Folsom Ranch Subdivision Residential Design Review (PN 19-368) October 16, 2019

ARCHITECTURE/SITE DESIGN REQUIREMENTS		
Final exterior building and site lighting plans shall be submitted for review and approval by Community Development Department for aesthetics, level of illumination, glare and trespass prior to the issuance of any building permits. The exterior building and site lighting will be required to achieve energy efficient standards by installing high-intensity discharge (mercury vapor, high-pressure sodium, or similar) lamps. Lighting shall be equipped with a timer or photo condenser. Lighting shall be designed	В	CD (P)
to be directed downward onto the project site and away from adjacent properties and public rights-of-way.		

			CD (P) (B)			
			В			
The project shall comply with the following architecture and design requirements:	 This approval is for three, two-story master plans (four building elevations with twelve color and material options and 144 visual expressions) for Enclave at Folsom Ranch Subdivision. The applicant shall submit building plans that comply with this approval and the attached building elevations dated September 17, 2019. 	2. The design, materials, and colors of the proposed Enclave at Folsom Ranch Subdivision single-family residential units shall be consistent with the submitted building elevations, materials samples, and color scheme to the satisfaction of the Community Development Department.	3. The Community Development Department shall approve the individual lot permits to assure no duplication or repetition of the same house, same roof-line, same elevation style, side-by-side, or across the street from each other.	4. All mechanical equipment shall be ground-mounted and concealed from view of public streets, neighboring properties and nearby higher buildings. For lots abutting the open space areas, mechanical equipment shall be located out of view from open space areas.	5. Decorative light fixtures, consistent with the Enclave at Folsom Ranch Design Guidelines and unique to each architectural design theme, shall be added to the front and rear building elevation of each Master Plan to the satisfaction of the Community Development Department.	 A minimum of one tree shall be planted in the front yard of each residential lot within the subdivision. A minimum of two trees are required along the street- side of all corner lots. All front yard irrigation and landscaping shall be installed prior to a Building Permit Final.
						•
12.				-		

Planning Commission Enclave at Folsom Ranch Subdivision Residential Design Review (PN 19-368) October 16, 2019

		B FD								PD						
										В						
THE PROPERTY OF THE PROPERTY O	THE DELAKTIMENT RECOIREMENT	The building shall have illuminated addresses visible from the street or drive fronting	the property. Size and location of address identification shall be reviewed and approved	by the Fire Marshal.	POLICE/SECURITY REQUIREMENT	The owner/applicant shall consult with the Police Department in order to incorporate all	reasonable crime prevention measures. The following security/safety measures shall be	required:	A security guard shall be on-duty at all times at the site or another approved	security measure shall be in place including but not limited to a six-foot security	fence shall be constructed around the perimeter of construction areas. (This	requirement shall be included on the approved construction drawings).	Security measures for the safety of all construction equipment and unit appliances	shall be employed.	Landscaping shall not cover exterior doors or windows, block line-of-sight at	intersections or screen overhead lighting.
	,	13.				14.										

Attachment 4 Vicinity Map

Vicinity Map



Figure 4.1 Land Use **Project Site**

Land Use Legend

Attachment 5 Site Plan Exhibit, dated January 29, 2016

SCHOOL / PARK

MLD

ILLUSTRATIVE SITE PLAN PLANNED DEVELOPMENT PERMIT (PD)

FOLSOM RANCH
Folom Califoria
James 28 2010
Total Annual An

SFHD

MHD

EASTON VALLEY PARKWAY

30

TRANSIT CORREDOR MLD III LOTS - 40 x 70 (TYP.) TRANSIT CORRIDOR 481

Ü

Attachment 6 Landscape Plan Exhibits, dated August, 2019

PARK ENLARGEMENT AUBURN LEAF LOOP THE ENCLAVE AT FOLSOM RANCH PRELIMINARY LANDSCAPE PLAN (EXHIBIT 1 OF 4) CALIFORNIA AUGUST, 2019 FOLSOM

LANDSCAPE MAINTENANCE DELINEATION PLAN (EXHIBIT 2 OF 4)

THE ENCLAVE AT FOLSOM RANCH

AUGUST, 2019

FOLSOM

CALIFORNIA

LANDSCAPE AREAS

DHINE MESTWOOD (LSV3) 12 COURT 102 0

PRELIMINARY PLANT PALETTE HOM MARNTARED




THE ENCLAVE AT FOLSOM RANCH

FOLSOM

AUGUST, 2019

CALIFORNIA



ALL ACCESTICS TO COLOR WHERE STREET TREESS.
ARBITICS I. MARWAY ARBITICS STANDARD CHAPE WITHELE MALI II. TREAM
ARBITICS I. MARWAY ARBITICS STANDARD CHAPE WITHELE MALI II. TREAM
ARBITICS I. MARWAY ARBITICS STANDARD CHAPE WITHELE MALI II. TREAM
ARBITICS I. MARWAY STANDARD CHAPE WITHEL CHAPE
ARBITICS I. MARWAY STANDARD CHAPE WITHEL CHAPE
ARBITICS STANDARD SWAN HAL I'M SWAN HALL CHAPE
ARBITICS STANDARD SWAN HAL I'M SWAN HALL CHAPE
ARBITICS SWAN HALL CHAPE WITH SWAN HALL CHAPE
ARBITICS SWAN HALL CHAPE

LOMANDA LONGFOLM BREEZE' / BONGE' BEHONDE LOMANDA LONGFOLM BREEZE' / BONGE' ESPANDE LOMANDA LONGFOLM BREEZE' / DWARF MAT RISH

GSTIG PLIPELENTS KARET / PATARON NOW HANT RWHYOLES ROCK BULLEWY' RALLERN NOW HANT TELGRUM PRITICANS KILBELM / AZIRE BISH GERANDER

PLANTING NOTES

IRRIGATION NOTES

REACHES RECOVERED TO THE CARLOW WE WERE TREACHES THE CONTROL OF THE CARLOW WERE A SECONDARY WELL CONTROL OF THE CARLOW WELL OF

CE, CERROGOTION OR DE CONTROL CONTROL

D - CROMAGE ACCENT GRADGS KULTERMITE SP. PER LOT DANGLIJA REVOLUTIK UTITLE REV FUNTER REV FAJAK LES DANGELIJAK TAREY TALES FEV FUNTER REV FAJAK LES PRINGETIJAK TAREY TALES / EVERGREDS FOUNTAN GAVASS

E 7. LABGE SHRIR ALTERNITE SI, PER LOTI PANIMAS CLUSONICA "SPE CASE" / CLUFORNI COFFEEDIN PANIMAS CLUSONICA "SPE CASE" / CLUFORNI COFFEEDIN PANIMOSENS X MONIE" / MAGESTO BEAUTY RADAN MARTINE

METORY

THE FOLK

PES GLAUS TOWAS 'S DIMAR ALBERTA SMACE FICAL TOWER TABRITA ANAMES FICAL TOWER TOWER TOWARD TO THE TABLE TO THE TOWER TOW



MOOD ROOF ELEMANT SECTION STATEMENT SECTION TO SECURITY SECTION SECTION

Attachment 7 Street Scene Exhibit, dated August 19, 2019





Street Scene

KD Home Central Cathorina 2005 Dunglas History Suite 250 Rosenilla, CA 95641 (910) 9455381 (910) 9455381



Attachment 8 Building Elevations and Floor Plans Dated September 17, 2019

ENCLAVE AT FOLSOM RANCH

ELEVATION LEGEND

- CONCRETE FLAT TILE RODFING

P

P F 白印

Fores

66

ф

4

回

(0)

Elevation 'A' - Spanish

- STUCCE OVER FOAM CORBELS/SHAPED FOAM TRIM DECORATIVE STUCCO COLUMNS (STUCCO OVER WOOD FRAMING)
- METAL ROLL-UP GARAGE DOOR

- DECORATIVE BOARD & BATTEN







F FF

曱 邼



Elevation 'B' - Craftsman



白白白面

- 0

FP

甲甲 囯 P

Elevation 'C' - Farmhouse



d



First Floor Plan 'A'

Second Floor Plan 'A'

ENCLAVE AT FOLSOM RANCH

230 (054 000*1) [III 2-51 ORY


JOB No SFORY September


KB Hame Central California 3015 Douglas Biret. Scilice 250 Rosewite (7.8) 9566 i (916) 94<-1800 CITY OF FOLSOM

First Floor Plan 'B'










KB Home Central Cuttoma 3005 Douglas Bird Suite 250 Recoville, I'A 95661 (116) 945 14800 CITY OF FOLSOM

ENCLAVE AT FOLSOM RANCH



Second Floor Plan 'D'



ENCLAVE AT FOLSOM RANCH

Roof Plans

ENCLAVE AT FOLSOM RANCH

.

Dougle, Blvd. Suite 230 Aile, CA 95661


Kb 3005 pt 1005 pt 1

J. Ç ,<u>B</u>

Rear Elevation 'A'

Front Elevation 'A' - Spanish

Left Elevation 'A'




Right Elevation 'A'




Right Elevation 'B'



Front Elevation 'B' - Craftsman




Left Elevation 'B'




Rear Elevation 'C'



Front Elevation 'C' - Farmhouse



Left Elevation 'C'



ENCLAVE AT FOLSOM RANCH

Right Elevation 'C'




Rear Elevation 'D'






Front Elevation 'D' - French Cottage







Right Elevation 'D'

HOME CONTROL C

300 No 3108 S Separabel 17, 2019

ELEVATION LEGEND

- CONCRETE HLAT TILE RODFING
- STUCCO OVER FOAM CORBELS/SHAPED FOAM TRIM
 - DECORATIVE STUCCO COLUMNS (STUCCO OVER WOOD FRAMING)
- METAL ROLL-UP GARAGE DOOR

- DECORATIVE BOARD & BATTEN



印 (7)

(4)

0 4 早早



P

m

min

甲甲

F5-65

d

自由

ф

b (2)

Elevation 'B' - Craftsman

回

Elevation 'A' - Spanish



(7)

巨甲


Elevation 'C' - Farmhouse

HERNA

包

由由

由



ENCLAVE AT FOLSOM RANCH

JOB No SJORY Sptember 17, 2019

KB Home Central Californa 3002 Douglas Blvd. Sune 250 Rosewils, CA 95661 (416) 94 51380 CITY OF FOLSOM

First Floor Plan 'B'



BATH 2

BEDROOM 3

BEDROOM 2








ENCLAVE AT FOLSOM RANCH

KB itame t'entrul Lidituma 3005 Douglas Br.d. Suite 250 Racovine, CA 95661 (916) 945-1850 CITY OF FOLSOM





First Floor Plan 'D'

ENCLAVE AT FOLSOM RANCH

Ü,

Ç

ENCLAVE AT FOLSOM RANCH

B.

'A

KB lome town Californs
ONO Dough State 250
Receiving CA 95661
(916) 945-3889
CITY OF FOLSOM

Rear Elevation 'A'



Front Elevation 'A' - Spanish



Left Elevation 'A'



Right Elevation 'A'

ENCLAVE AT FOLSOM RANCH

KB Home Control Californs
Dos Coopula CA 2016/6/
Recyalt CA 2016/6/
PLOME
CITY OF FOLSOM


Rear Elevation 'B'



Front Elevation 'B' - Craftsman



Left Elevation 'B'




Right Elevation 'B'

ENCLAVE AT FOLSOM RANCH



Left Elevation 'C'



Front Elevation 'C' - Farmhouse



Rear Elevation 'C'

ENCLAVE AT FOLSOM RANCH

Right Elevation 'C'





Front Elevation 'D' - French Cottage

Left Elevation 'D'



Right Elevation 'D'

Rear Elevation 'D'

ENCLAVE AT FOLSOM RANCH

KE SON DOUGHER TO SHORE CENTRAL CHIRDREN SHORE ZEN BOSSONILL CAN SHORE THE STANDARD CITY OF FOLSOM

ENCLAVE AT FOLSOM RANCH

ELEVATION LEGEND

- CONCRETE FLAT TILE ROOFING
- STUCCO OVER FOAM TRIM STUCCO OVER FOAM CORBELSSHAPED FOAM TRIM DECORATIVE STUCCO COLUMNS (STUCCO OVER WOOD FRAMING)

P

曲 0 0 (h)

METAL ROLL-UP GARAGE DOOR

FF

甲甲

- DECORATIVE BOARD & BATTEN

- 1 CONCRETE S'TILE ROOFING

 2 CONCRETE FLATTILE ROOFING

 4 STUCCO PUSH

 5 STUCCO PUSH FOAM TRAN

 5 STUCCO PUSH FOAM TRAN

 7 STUCCO PUSH FOAM TRAN

 8 STUCCO PUSH FOAM TRAN

 9 COMPOSITE RATE FOAM CORRECTS PROCORD PANALOS PROMISOR

 10 METAL ROLL-UP GNANGE DOOR

 11 DECORATIVE SUCTIFIES

 12 DECORATIVE FOAM VERTER

 13 DECORATIVE FOAM VERTER

 14 WOOD SIDING

 15 DECORATIVE FOAM VERTER

 16 REGEAR PUSHEL & CORREL

 17 DECORATIVE FOAM VERTER

 18 REGEAR PUSHEL

 19 DECORATIVE FOAM VERTER

 10 DECORATIVE FOAM VERTER

 11 DECORATIVE FOAM VERTER

 12 DECORATIVE FOAM VERTER

 13 SHUCK VENEER

 14 WOOD PUSH

 15 DECORATIVE GUILDOKER

 15 WOOD PUSH

 16 PUSH FREER

 17 WOOD FOR PUSH

 18 PREFARE FOR PUSH

 18 PREFARE FOR PUSH

 18 PREFARE FOR PUSH

 18 PREFARE FOR PUSH

 19 WOOD PUSH

 10 PUSH

 10 PUSH

 11 PUSH

 12 PUSH

 13 PUSH

 14 PUSH

 15 PUSH

 16 PUSH

 17 PUSH

 18 PUSH



Elevation 'B' - Craftsman




Elevation 'D' - French Cottage



FORES

白白白





BATH 2 0

BEDROOM 3

BEDROOM 2

M. BATH

9


į




PLAN No JOB No STORY September 17, 2019


MASS SERVICE STATE OF FOLSOM

CITY OF FOLSOM







ENCLAVE AT FOLSOM RANCH



ENCLAVE AT FOLSOM RANCH



J.



Ç

M

Roof Plans

ENCLAVE AT FOLSOM RANCH

4

HOME CITY OF FOLSOM

Rear Elevation 'A'



Front Elevation 'A' - Spanish

Left Elevation 'A'



Right Elevation 'A'

ENCLAVE AT FOLSOM RANCH







Front Elevation 'B' - Craftsman

Left Elevation 'B'






Right Elevation 'B'

Rear Elevation 'C'





Front Elevation 'C' - Farmhouse




Left Elevation 'C'




Right Elevation 'C'







Left Elevation 'D'



Right Elevation 'D'

Rear Elevation 'D'

ENCLAVE AT FOLSOM RANCH

HOME
TO DOUG DOUGH SING 250
Records CA 26661
(916) 945-3800
CITY OF FOLSOM

Planning Commission Enclave at Folsom Ranch Subdivision Residential Design Review (PN 19-368) October 16, 2019

Attachment 9 Color and Materials Schemes Dated August 23, 2019

Enclave at Folsom Ranch

Central California Division Project #00600-999101 August 23, 2019



SPANISH 'A' ELEVATION				
MATERIAL	MFR	SCHEME 1	SCHEME 2	SCHEME 3
STUCCO (LIGHT SAND LACE FINISH)	SHERWIN-WILLIAMS	Aesthetic White (SW 7035)	Nomadic Desert (SW 6107)	Sandy Ridge (SW 7535)
STUCCO HIGHLIGHT	SHERWIN-WILLIAMS	Relaxed Khaki (SW 6149)	Dormer Brown (SW 7521)	Outerbanks (SW 7534)
FASCIA	SHERWIN-WILLIAMS	Smokehouse (SW 7040)	Java (SW 6090)	Well-Bred Brown (SW 7027)
TRIM (SMOOTH FINISH)	SHERWIN-WILLIAMS	Smokehouse (SW 7040)	Van Dyke Brown (SW 7550)	Natural Tan (SW 7567)
FRONT ENTRY / SHUTTERS	SHERWIN-WILLIAMS	Andiron (SW 6174)	Rookwood Dark Red (SW 2801)	Sea Serpent (SW 6215)
GARAGE	SHERWIN-WILLIAMS	Black Bean (SW 6006)	Java (SW 6090)	Well-Bred Brown (SW 7027)
CLAY PIPE	SHERWIN-WILLIAMS	Aurora Brown (SW 2837)	Aurora Brown (SW 2837)	Aurora Brown (SW 2837)
WROUGHT IRON	SHERWIN-WILLIAMS	Sealskin (SW 7675)	Sealskin (SW 7675)	Sealskin (SW 7675)
ROOF	BORAL ROOFING	Salerno Clay	California Mission Blend	Verona Clay
	BARCELONA	1 HBCS 6330	1 HBCS 6464	1 HBCS 7330

CRAFTSMAN 'B' ELEVATION				
MATERIAL	MFR	SCHEME 4	SCHEME 5	SCHEME 6
STUCCO (LIGHT SAND LACE FINISH)	SHERWIN-WILLIAMS	Worldly Gray (SW 7043)	Chatroom (SW 6171)	Roycroft Suede (SW 2842)
FASCIA	SHERWIN-WILLIAMS	Urbane Bronze (SW 7048)	Natural Choice (SW 7011)	Casa Blanca (SW 7571)
TRIM (SMOOTH FINISH)	SHERWIN-WILLIAMS	Urbane Bronze (SW 7048)	Natural Choice (SW 7011)	Casa Blanca (SW 7571)
GABLE END	SHERWIN-WILLIAMS	Anonymous (SW 7046)	Muddled Basil (SW 7745)	Weathered Shingle (SW 2841)
WOOD POSTS	SHERWIN-WILLIAMS	Urbane Bronze (SW 7048)	Natural Choice (SW 7011)	Weathered Shingle (SW 2841)
FRONT ENTRY / SHUTTERS	SHERWIN-WILLIAMS	Rookwood Red (SW 2802)	Palm Leaf (SW 7735)	Sea Serpent (SW 7615)
GARAGE	SHERWIN-WILLIAMS	Anonymous (SW 7046)	Muddled Basil (SW 7745)	Weathered Shingle (SW 2841)
ROOF	BORAL ROOFING	Brown Blend	Cedar Blend	Shadow Brown
	SHAKE	1 FBCF 3233	1 FBCF 3293	1 FBCF 3214
BRICK	CULTURED BRICK	HANDMADE BRICK Rustic Manor	USED BRICK High Desert	HANDMADE BRICK Moroccan Sand

FARMHOUSE 'C' ELEVATION				
MATERIAL	MFR.	SCHEME 7	SCHEME 8	SCHEME 9
STUCCO (LIGHT SAND LACE FINISH)	SHERWIN-WILLIAMS	Rhinestone (SW 7656)	Relaxed Khaki (SW 6149)	Dormer Brown (SW 7521)
BOARD & BATTEN	SHERWIN-WILLIAMS	Rhinestone (SW 7656)	Extra White (SW 7006)	Red Barn (SW 7591)
FASCIA	SHERWIN-WILLIAMS	Rhinestone (SW 7656)	Roycroft Mist Gray (SW 2844)	Alabaster (SW 7008)
TRIM (SMOOTH FINISH)	SHERWIN-WILLIAMS	Iron Ore (SW 7069)	Extra White (SW 7006)	Alabaster (SW 7008)
GARAGE	SHERWIN-WILLIAMS	Rhinestone (SW 7656)	Felted Wool (SW 9171)	Colony Buff (SW 7723)
FRONT ENTRY	SHERWIN-WILLIAMS	Stolen Kiss (SW 7586)	Iron Ore (SW 7069)	Domino (SW 6989)
SHUTTERS	SHERWIN-WILLIAMS	Iron Ore (SW 7069)	Iron Ore (SW 7069)	Domino (SW 6989)
ROOF	BORAL ROOFING	Dark Ash	Brown Blend	Charcoal Brown Blend
	SHAKE	1 FBCF 5139	1 FBCF 3233	1 FBCF 1132

Enclave at Folsom Ranch

Central California Division Project #00600-999101 August 23, 2019



COTTAGE 'D' ELEVATION				
MATERIAL	MFR	SCHEME 10	SCHEME 11	SCHEME 12
STUCCO (LIGHT SAND LACE FINISH)	SHERWIN-WILLIAMS	Analytical Gray (SW 7051)	Latte (SW 6108)	Keystone Gray (SW 7504)
FASCIA	SHERWIN-WILLIAMS	Enduring Bronze (SW 7055)	Van Dyke Brown (SW 7041)	Canvas Tan (SW 7531)
TRIM (SMOOTH FINISH)	SHERWIN-WILLIAMS	Nuance (SW 7049)	China Doll (SW 7517)	Canvas Tan (SW 7531)
GABLE END / WOOD POSTS	SHERWIN-WILLIAMS	Nuthatch (SW 6088)	Burnished Brandy (SW 7523)	Canvas Tan (SW 7531)
FRONT ENTRY / SHUTTERS	SHERWIN-WILLIAMS	Bitter Chocolate (SW 6013)	Peppercorn (SW 7674)	Dark Night (SW 6237)
GARAGE	SHERWIN-WILLIAMS	Plantation Shutters (SW 7520)	Burnished Brandy (SW 7523)	Windsor Greige (SW 7528)
ROOF	BORAL ROOFING	Charcoal Blend	Desert Sage	Charcoal Brown Blend
	SLATE	1 FACS 1430	1 FACS 0024	1 FACS 1132
STONE	CULTURED STONE	OLD COUNTRY FIELDSTONE Summit Peak	OLD COUNTRY FIELDSTONE Coastal Fog	OLD COUNTRY FIELDSTONE Chardonnay

Planning Commission Enclave at Folsom Ranch Subdivision Residential Design Review (PN 19-368) October 16, 2019

Attachment 10 Enclave at Folsom Ranch Design Guidelines

FOLSOM RANCH

DESIGN GUIDELINES

On E Offiction

1.1 LOCATION AND SETTING

Enclave at Folsom Ranch (Enclave) is a private, gated community located in the City of Folsom, approximately 25 miles east of Sacramento in the Footnills of the Sierra Nevada Mountains. The site is nestled in the heart of the Folsom Plan Area Specific Plan (FPASP), tucked between Scott Road and Placerville Road, with Easton Valley Parkway directly to the north.



As part of the FPASP, Enclave will support the City's vision for complete communities by featuring a 0.4 acre private amenity local park that will enhance the character of the community as well as provide a beautiful neighborhood meeting space. The residential site plan is designed to promote walkability within the neighborhood as well as connections to amenities and public transit near the site.

Enclave has been thoughtfully designed to enhance the surrounding community, and will respect and complement the City of Folsom's commitment to a high quality of life for its residents.

The FPASP zoning for the approximately 14.7 acre site is Multi-Family ow Density (SP-MLD) and will feature 111 lots.

1.2 PURPOSE

In 2011, the City of Folsom adopted the Folsom Plan Area Specific Plan (FPASP) to guide development of approximately 3,500 acres of property south of U.S. Highway 50 that was later annexed into the City of Folsom in early 2012,

This Design Handbook provides an overview of the design criteria required to implement the desired physical form of the Enclave community and its key features. This Handbook addresses architectural character, as well as other components that create a distinguished community comprised of high quality design.

ONE Furthoduction



JELUSTRA FIVE SITE PLAN PLANNED DEVELOPMENT PERMITOPIN

FOLSOM RANCH

FIGURE 1.1 Site Illustrative

TWO

2.1 INTRODUCTION

Enclave at Folsom Ranch will feature a sophisticated architectural identity and distinctive character within the City of Folsom.

Chapter 2 defines the design principles and development standards that apply to all residential development within Enclave at Folsom Ranch. These guidelines and standards address garage type and orientation, building massing, and architectural design guidelines, which identify, define, and articulate the architectural styles appropriate for Enclave at Folsom Ranch.

2.2 DESIGN PRINCIPLES

2.2.1 DIVERSITY OF STREETSCAPE

An eclectic and diverse streetscape is a defining characteristic of enduring neighborhoods. The intent of this section is to articulate the standards and unique defining elements by which Enclave at Folsom Ranch shall be built in order to create a cohesive streetscape with a distinctive character.

MASTER HOME PLAN REQUIREMENTS

To achieve streetscape variation, a master home plan series should comprise multiple different master home plans with varying elevations (each elevation must be a different architectural style), based upon the number of lots to be built upon by one builder as an individual project within the neighborhood. This selective architectural style application will enhance the variety of the streetscape, and together

with a variety of color schemes lower the "repeat factor" (the number of times the same plan, elevation and color scheme occurs). Master home plans are defined as unique floor plans with a distinct footprint with regard to placement and relationship of garage, front door, and building massing.

MINIMUM ELEVATIONS	2	m	4
MINIMUM FLOOR PLANS	m	ಌ	n
NUMBER OF LOTS	40 or less	41-75	1 92

MASSING AND ROOF FORM

Proportion and placement of architectural forms and elements must be appropriately and authentically applied in a manner consistent with the historical architectural style being represented. Roof articulation in the form of proper roof pitches and forms also plays a significant role in the authenticity and diversity of the streetscape.

Massing must be appropriate and authentic to the architectural style (e.g., the Arts and Crafts style has a front porch as a signature defining element; it would be inauthentic to design an Arts and Crafts style home without a porch element).

One out of every three homes must have a significantly different roof form than its neighbors (e.g., forward-facing gable versus side-facing gable).

TWO Chritecture

Horizontal and vertical articulation is required on all homes, as appropriate to each architectural style, and can be achieved through differing roof forms, combinations of one-and two-story elements, architectural projections, porches, etc.

Front porches, when appropriate to the building style, must have a minimum depth of six (6) feet.



FIGURE 2.1 Example of massing & alternating roof styles

REPETITION

Avoiding repetition of identical floor plans or architectural styles is important to create a sense that a neighborhood has been built over time.

The same floor plan with the same architectural style shall be no less than three (3) lots away in any direction.



FIGURE 2.2 Example of four-sided architecture

2.2.2 ENHANCED BUILDING ARCHITECTURE

The continuation of style-specific architectural elements from the front façade around to the side and rear elevations creates and authentic architectural statement. There is a minimum level of enhancement required on all homes based on architectural style.

Blank, unadorned building faces are never permitted; a certain minimum amount of detail is required to reflect a unified architectural treatment. It is recognized, however, that there are situations where a building face is virtually hidden and adding additional architectural elements is unproductive (e.g. zero lot line conditions, reduced side yard setbacks, etc.). The approach should be a hierarchy of treatment oased on location, function, and level of pedestrian interaction. For example, when side or rear façades face neighboring residences, the evel of design along this side or rear façade, should continue the architectural style of the residence and use the same quality of materials, wrapping a maximum of two feet along non-visible side. The following section identifies enhanced lot situations.

Figure 2.3 identifies home sites that are visible from multiple angles, public ways, open space, community edges, and major arterials.

Building faces that are visible on identified lots shall exhibit at least two style-specific architectural elements carried from the front elevation.

2.2.3 RECIPROCAL USE EASEMENTS

Reciprocal use easements are an innovative way to increase the usable yard area for a small lot home. By allowing one home to utilize the

side yard of an adjacent home, side yard space effectively doubles. When reciprocal use easements are used, the following factors apply:

- The resident of the home relinquishing its side yard has the right to access the adjacent home's side yard for home maintenance and painting.
- Reciprocal use easements are required to be detailed on individual plot plans as part of the project construction phasing.
 Traditional setbacks shall not apply to reciprocal use easement areas, for landscape related features.
- Landscape structures, such as fountains, pergolas, etc. are permitted within the use easement and must be 3' from the face of the adjacent structure, consistent with building and fire code.

2.2.4 GARAGES

Reducing garage dominance on the streetscape and bringing living space closer to the street creates streetscenes that are inviting and safe with an "eyes on the street" environment. Using design techniques that enhance a home's architectural style promotes a more pedestrian-oriented neighborhood.

Garages must be set back a minimum of 3' from living space or porches when accessed from a traditional street configuration or be recessed into thickened walls by a minimum of 12" if on same plane as the front door.

Garages accommodating more than two cars are allowable only in a split or tandem configuration. Three car front-loaded garages are not permitted.




MILLIO

FIGURE 2.3 Enhanced Lots Exhibit

2.3 DEVELOPMENT STANDARDS

The following development standards section describes typical lot conditions within Enclave at Folsom Ranch. Lots within the community deviate from the development standards set forth in the FPASP.

Standard 40 x 70 Lot



σ̈́

H - Rear

setback line) 40' (at front two-stories 30, / 12.5 12.5' 12.5 70, 00 4 E - Front to Garage/Rollup B - Lot Depth (min.) c - Front to Living D - Front to Porch A - Width (min.) F - Interior Side G - Street Side Max. Height

TWO Othchitecture

2.4 ARCHITECTURAL COLLECTIONS

These Guidelines provide direction for specific architectural styles within Enclave at Folsom Ranch. Each Collection includes a brief introduction to the featured architectural styles and the defining characteristics of each style, as well as example imagery. To further define and emphasize the architecture of Enclave at Folsom Ranch, the following statements apply to all styles:

- Masonry must be applied authentically, wrapping outside corners and terminating at inside corners.
- Stone or brick scattered over stucco to mimic building age is not appropriate.
- Stucco finish options should be varied and may include heavy knock down, light lace, sand, smooth, imperfect smooth, cat face, or similar.
- All material changes must occur at an inside corner or other defined terminus (i.e., a fence line).
- Where wood is specified, cementitious material is acceptable to promote longevity and ease of maintenance.
- Grooved plywood siding and vinyl siding are not permitted.
- Garage doors should complement the architectural style.
- House lights should complement the architectural style.

- Lighting fixtures shall be dark sky compliant and not create flare or spillover to adjacent neighbors.
- When shutters are used, each shutter shall be sized to onehalf of the entire adjacent window width, such that if the shutters were closed, they would completely cover the window.

Architectural Collections:

THE ARTISAN COLLECTION

THE AGRARIAN COLLECTION

THE CALIFORNIA COLLECTION

THE COTTAGE COLLECTION

- Artisan Collection

The Artisan Collection at Enclave at Folsom Ranch is rooted in nature. With a focus on integrating with the land, these styles are cut from the same natural cloth. Inspired by the work of Frank Lloyd Wright and Greene & Greene, these homes can range from classic to modern interpretations of these iconic American architectural styles.

The Artisan Collection is a sampling of architectural genres selected to create a cohesive palette comprised of The Bungalow, The Prairie, and The Craftsman. Additional complementary styles and contemporary interpretations are permitted.

Key features of this collection include:

MASSING & FORM

- Simple massing, front or side gabled or hipped with an emphasis on horizontal lines.
- Symmetrical or asymmetrical form.
- Front entry porch.
- Stylized column and beam detailing at porches.

ROOF

- Low-pitched roofs with large over-hanging eaves, emphasizing horizontal planes.
- 4:12 to 6:12 roof pitch.
- 6" to 18" overhangs.
- Flat concrete tile with a shingle appearance or composition shingle.
- Overhangs often extend over outdoor rooms.

WALLS, WINDOWS & DOORS

- Exterior wall materials with combinations of wood shingles, horizontal siding, board and batten, and stucco.
- Single hung divided light windows at front elevations.
- Use windows individually or in groups (typically two or three).


DETAILS

- Entry porches with columns resting on larger piers or bases.
- Porch rails of repeated vertical elements.
- Wood brackets or knee braces.

TWO Ofthehitecture







The Haraian Collection

The Agrarian Collection highlights the agricultural history of the region. This series brings an element of rustic charm to the neighborhood, featuring styles that are reminiscent of farm buildings that are comfortable and familiar. Eclectic materials and cascading forms will add texture and interest to the streetscape.

The Agrarian Collection is a series of architectural styles selected to create a cohesive palette comprised of The Americana, The Farmhouse, and The California Ranch. These styles present a range from very traditional to reinterpreted, adding to the built-over-time nature of the community. Additional complementary styles and contemporary interpretations are permitted.

A few distinctive design elements of these styles include:

MASSING & FORM

- Rectangular, typically two-story.
- Front, side, or cross-gabled, often with a dominant forward-facing feature gable.
- Symmetrical or asymmetrical.
- Simple entry porches project from the house rather than being incorporated into the primary massing.
- Dominant gable roof forms with shed and hip accent features; such as covered porches, dormers, etc.

ROOF

- Roof pitch 6:12 to 10:12 with porches of lower profiles.
- 6" to 12" overhangs.
- Concrete shingles that are flat or resemble wood shake or composition asphalt shingles.

WALLS, WINDOWS & DOORS

- Primary exterior material is lap siding with 6"-8" exposure or board and batten.
- Window and door trim, corner boards, starter boards, and vergeboards used as siding terminations.
- Single hung vertical windows with or without window grids.

DETAILS

- Verge rafters.
- Slender, unornamented square or round porch columns.
- Accent roofs of metal standing seam at porches, dormers, and other accent roof features.
- Shutters.

TWO Chickitecture







- California Collection

The architectural styles in the California Collection blend the cultures of the early California residents with a Spanish influence. These homes are a juxtaposition of local indigenous materials with colonial detailing applied.

Included in this collection are variations of Spanish Eclectic, Santa Barbara, and Monterey styles, ranging from traditional styling to more modern exterior treatments.

MASSING & FORM

- Two-story, rectangular form.
- Principal side gabled roof.

ROOF

- Low-pitched gabled roofs (4:12 to 5:12).
- Flat tile roof with barrel ridge and hip tiles or full s-tile or barrel tile roof.
- Tight overhangs.

WALLS, WINDOWS & DOORS

- Stucco is the dominant exterior finish, imperfect smooth or cat face is preferred.
- Optionally, style may include brick at first floor, which may be painted.
- Paired windows in groups of twos or threes.

DETAILS

- Panel or louvered wood shutters.
- Wood or decorative iron railing at balcony.
- Exposed decorative wood elements.
- Painted tile accents around door or windows.

TWO Ofthehitecture







Cottage Collection

A true blend of European and traditional American architecture, The Cottage Collection showcases a variety of English Cottage, Tudor, and French Cottage styles, as well as various interpretations of Victorian.

The Cottage Collection is comprised of romantic, country styles that add an inviting and friendly atmosphere to new communities. A few key features of the Collection include:

MASSING & FORM

- Asymmetrical massing and proportions.
- Gable roof form (either front-to-back, side-to-side, or cross-gable).
- Turret as feature element.

ROOF

- Modestly pitched main roof (5:12 to 7:12) with steeply pitched feature gable (8:12 to 12:12).
- Asphalt composition shingles preferred, concrete tile permitted.
- Rake at gables up to 12".
- Bell cast eave.

WALLS, WINDOWS & DOORS

- Stucco, masonry/brick, stone, or any combination thereof.
- Divided lights common on all windows.
- Vertical windows in groupings of two and three; single windows also allowed.
- Head and sill window trim or full window surrounds,
- Entry doors accented by trim surrounds

DETAILS


- Shutters
- Siding in gable end (lap or board and batten),
- Juliette balcony.
- Decorative stick work in gables.
- Decorative detailing at porch or cornice line.

TWO Chickitecture









AGENDA ITEM NO. 2 Type: Public Meeting

Date: October 16, 2019

Planning Commission Staff Report

50 Natoma Street, Council Chambers Folsom, CA 95630

Project:

White Rock Springs Ranch/Carr Trust Subdivision Residential

Design Review

File #:

PN-19-310

Request:

Residential Design Review

Location:

Northeast and Southeast Corners of Mangini Parkway and

Savannah Parkway within Folsom Plan Area

Staff Contact:

Steve Banks, Principal Planner, 916-461-6207

sbanks@folsom.ca.us

Property Owner

Applicant

Name: Gragg Ranch Recovery Acquisition

Address: 5796 Armada Drive, Suite 375

Carlsbad, CA 92008

Name: Richmond American Homes Address: One Harbor Center, Suite 100

Suisan City, CA 94585

Recommendation: Conduct a public meeting and upon conclusion recommend approval of a Residential Design Review Application for 121 single-family residential units as illustrated on Attachments 5 through 9 for the White Rock Springs Ranch/Carr Trust Subdivision project (PN 19-368) subject to the findings (Findings A-J) and conditions of approval (Conditions 1-14) attached to this report.

Project Summary: The proposed project involves a request for Residential Design Review approval for 121 traditional single-family residential units located within the previously approved White Rock Springs Ranch Village 1 Subdivision and Carr Trust Subdivision. In particular, the applicant is requesting Design Review approval for eight (8) individual master plans within the two subdivisions. Three distinct California heritagethemed architectural styles and eighteen color and material alternatives are incorporated among the eight master plans.

Table of Contents:

- 1 Description/Analysis
- 2 Background
- 3 Conditions of Approval
- 4 Vicinity Map
- 5 Site Plan Exhibit, dated August 15, 2017
- 6 Landscape Plan Exhibits, dated July 11, 2019
- 7 Street Scene Exhibits, dated September 30, 2019



AGENDA ITEM NO. 2
Type: Public Meeting

Date: October 16, 2019

- 8 Building Elevations and Floor Plans, dated September 30, 2019
- 9 Color and Material Schemes, dated July 21, 2019
- 10 White Rock Springs Ranch Design Guidelines

Submitted,

PAM JOHNS

Community Development Director

ATTACHMENT 1 DESCRIPTION/ANALYSIS

APPLICANT'S PROPOSAL

The applicant, Richmond American Homes, is requesting residential design review approval for 121 single-family residential units situated within the previously approved White Rock Ranch Springs Village 1 and Carr Trust Subdivision projects. Specifically, the applicant is requesting design review approval for eight (8) individual master plans. The master plans include three (3) distinct California heritage-themed architectural styles (Craftsman, Spanish Colonial, and Western Farmhouse) and eighteen (18) color and material alternatives.

The proposed master plans, which feature two, single-story models and six, two-story models, range in size from 1,733 to 3,006 square feet (3BR/2.5BA to 6BR/4) and include an attached two-car garage. The three classic design themes are characterized by a variety of unique architectural elements including distinctive roof form and shapes, covered front entry features, varied window and door design, and enhanced decorative elements. Proposed building materials include stucco, horizontal and vertical wood siding, stone veneer, wood posts, wood shutters, wood rafters, wrought iron details, decorative medallions, multi-paned windows, themed garage doors, decorative light fixtures, and concrete roof tiles. In addition, there are 18 distinct color and material alternatives available for each of the master plans resulting in 216 different visual expressions.

POLICY/RULE

<u>Folsom Municipal Code (FMC), Section 17.06.030</u> requires that single-family residential master plans submit a Design Review Application for approval by the Planning Commission.

Residential Design Review

The proposed project is subject to the White Rock Springs Ranch Design Guidelines, which were approved by the City Council in 2016. The Design Guidelines are a complementary document to the Folsom Plan Area Specific Plan. The Design Guidelines, which are intended to act as an implementation tool for residential development specifically within the White Rock Springs Ranch and Carr Trust subdivisions, provide the design framework for architecture, street scene, and landscaping to convey a master plan identity. While these Design Guidelines establish the quality of architectural and landscape development for the master plan, they are not intended to prevent alternative designs and/or concepts that are compatible with the overall project theme.

The following are the general architectural principles intended to guide the design of the Enclave at Folsom Ranch Subdivision to ensure quality development:

- Provide a varied and interesting streetscene
- Focus of the home is the front elevation, not the garage
- Provide detail on rear elevations where visible from the public streets
- Provide appropriate massing and roof forms to define the architectural styles
- Ensure that plans and styles provide a degree of individuality
- Use architectural elements and details to reinforce individual architectural styles
- Provide a variety of garage placements

In addition to the general architectural principles referenced previously, the Design Guidelines also provide specific direction regarding a number of architectural situations and features including: building forms, building massing, building height, roofscape, elevations, architectural details, entryways, door and windows, architectural lighting, building materials, building colors, and building finishes. The following are examples of architectural situations and features that are relevant to the proposed project:

- Provide a balance of hip and gable roof forms along the streetscene
- Provide off-set massing or wall plans
- Provide offset roof planes, eave heights, and ridge lines
- Provide enhanced style-appropriate details on front elevation
- Provide decorative window shelves or sill treatments
- Garage doors should be recessed from the wall plane
- Materials and colors should be varied and add texture and depth to the overall character of the neighborhood

The White Rock Ranch Springs Design Guidelines identify up to seven (7) unique architectural styles that are envisioned being implemented within the subdivision including: California Prairie, California Ranch, California Wine Country, Craftsman, Monterey, Spanish Colonial, and Western Farmhouse. As described in the applicant's proposal, the proposed project features three of the architectural themes that have been chosen from the design collections referenced above including Craftsman, Spanish Colonial, and Western Farmhouse. Below is a thorough description of each of these architectural styles:

Craftsman

Influenced by the English Arts and Crafts movement of the late 19th century and stylized by California architects, the Craftsman style focused on exterior elements with tasteful and artful attention to detail. Originating in California, Craftsman architecture relied on the simple house tradition, combining hip and gable roof forms with wide, livable porches, and broad overhanging eaves. Extensive built-in elements define this style, treating details such as windows and porches as if they were furniture. The horizontal nature is emphasized by exposed rafter tails and knee braces below broad overhanging eaves constructed in rustic-textured building materials. The overall effect is the creation of a natural, warm, and livable home of artful and expressive character.

Spanish Colonial

Referencing Folsom Ranch's Spanish Colonial style, the Spanish style respects this quintessentially Californian aesthetic with contemporary flair. This design echoes the required elements of the style as defined by the Design Guidelines. The form is inherently asymmetrical, simplistic in its massing, and is articulated by low-pitched gable gables, 's' tile, and expressed entries. Comprised primarily of stucco, the purity of the style's forms is emphasized through stone masses, and wood accents, adding to subtle beauty of the aesthetic. The stone appears en masse or on parapet elements, serving to accentuate entries. Fenestrations are clean and rectilinear, providing a fresh take on traditional Spanish forms. Refined in its execution, the Spanish Colonial style maintains the essential elements of the style, as stated within the Design Guidelines, while illustrating its strong, modern influence through its pure, well-articulated forms.

Western Farmhouse

The Western Farmhouse represents a practical and picturesque country house. Its beginnings and traced to both Colonial style from New England and the Midwest. As the American frontier moved westward, the American Farmhouse style evolved according to the availability of materials and technological advancements, such as balloon framing. Predominant features of the style are large wrapping front porches with a variety of wood columns and railings. Two story massing, dormers, and symmetrical elevations occur most often in the New England Farmhouse variations. The asymmetrical, casual cottage look, with more decorated appearance, is typical of the Western American Farmhouse. Roof ornamentation is a characteristic detail

consisting of cupolas, weather vanes, and dovecotes.

In reviewing the architecture and design of the project, staff determined that the design of the eight proposed master plans (which also include three elevation plans, eighteen color and material alternatives, and 216 architectural and visual expressions) generally reflect the level and type of high quality design features recommended by the White Rock Springs Ranch Design Guidelines. Most of the master plans are responsive to views on all four building elevations and include a variety of unique architectural elements that create an interesting streetscape scene including: off-set building shapes and massing, a combination of gable and hip and gable roof forms, architectural projections, recessed second-story elements, decorative enhancements, and varied garage door designs.

The proposed building materials, which include stucco, horizontal and vertical wood siding, stone veneer, wood posts, wood shutters, wood rafters, wrought iron details, decorative medallions, multi-paned windows, themed garage doors, decorative light fixtures, and concrete roof tiles are consistent with the materials recommended by the White Rock Springs Ranch Design Guidelines. In addition, the proposed project includes distinct (earth-tone) color schemes that will enhance the visual interest of each of the master plans.

As discussed previously, staff has determined that the design of the master plans is generally consistent with the Design Guidelines. However, staff identified a number of instances within the master plans where the side building elevations may not include sufficient architectural detail and interest if the homeowner does not select upgraded options offered by the home builder. For example, the Citrine N904 master plan (Pages A2.5, A2.7, and A2.9) of Design Review Packet) includes three optional second story windows on the left building elevation. Should the homeowner decide not to select the upgraded window option with this master plan, the second-story left building elevation of the home would not have any windows or other significant architectural details. This same situation exists with the Moonstone N914 master plan (Pages A4.5, A4.7, and A4.9) on the left building elevation, the Sutherland N827 (Pages A2.6, A2.8, and A2.10) on the left building elevation, and the Alexa N590 master plan (Pages A4.7, A4.9, and A4.11) on the right building elevation. To address this concern, staff recommends that windows or similar architectural details be included on the side building elevations of the master plans referenced above to the satisfaction of the Community Development Department.

Taking into consideration the aforementioned architectural details, materials, and colors, staff has determined that the design of the master plans, with the proposed conditions, is consistent with the design principles established by the Design Guidelines. As a result, staff forwards the following design recommendations to the Commission for consideration:

- This approval is for three, two-story master plans (four building elevations with eighteen color and material options and 216 visual expressions) for White Rock Ranch Springs/Carr Trust Subdivision. The applicant shall submit building plans that comply with this approval and the attached building elevations dated September 30, 2019.
- The design, materials, and colors of the proposed White Rock Springs Ranch/Carr Trust Subdivision single-family residential units shall be consistent with the submitted building elevations, materials samples, and color scheme to the satisfaction of the Community Development Department.
- 3. Windows or similar architectural features shall be included on the second-story left building elevation of the Citrine N904 master plan (Pages A2.5, A2.7, and A2.9), the second-story left building elevation of the Moonstone N914 master plan (Pages A4.5, A4.7, and A4.9), the second-story left building elevation of the Sutherland N827 master plan (Pages A2.6, A2.8, and A2.10), and the second-story right building elevation of the Alexa N590 master plan (Pages A4.7, A4.9, and A4.11) to the satisfaction of the Community Development Department.
- 4. The Community Development Department shall approve the individual lot permits to assure no duplication or repetition of the same house, same roof-line, same elevation style, side-by-side, or across the street from each other.
- 5. All mechanical equipment shall be ground-mounted and concealed from view of public streets, neighboring properties and nearby higher buildings. For lots abutting the open space areas, mechanical equipment shall be located out of view from open space areas.
- 6. Decorative light fixtures, consistent with the White Rock Springs Ranch Design Guidelines and unique to each architectural design theme, shall be added to the front and rear building elevation of each Master Plan to the satisfaction of the Community Development Department.
- 7. A minimum of one tree shall be planted in the front yard of each residential lot within the subdivision. A minimum of two trees are required along the street-side of all corner lots. All front yard irrigation and landscaping shall be installed prior to a Building Permit Final.

These recommendations listed above are included in the conditions of approval presented for consideration by the Planning Commission (Condition No. 12).

ENVIRONMENTAL REVIEW

The City, as lead agency, previously certified an EIR/EIS for the FPASP. Subsequently, the City determined that the White Rock Springs Ranch Subdivision and Carr Trust

Subdivision projects are entirely consistent with the Folsom Plan Area Specific Plan (FPASP) and therefore the project is exempt from the California Environmental Quality Act as provided by Government Code section 65457 and CEQA Guidelines section 15182. Since that determination was made, none of the events described in Public Resources Code section 21166 or CEQA Guidelines section 15162 (e.g. substantial changes to the project) have occurred. Therefore, no environmental review is required in association with this application.

RECOMMENDATION/PLANNING COMMISSION ACTION

Move to Approve a Residential Design Review Application for 121 single-family residential units as illustrated on Attachments 5 through 9 for the White Rock Springs Ranch/Carr Trust Subdivision project (PN 19-310) subject to the findings (Findings A-J) and conditions of approval (Conditions 1-14) attached to this report.

GENERAL FINDINGS

- A. NOTICE OF HEARING HAS BEEN GIVEN AT THE TIME AND IN THE MANNER REQUIRED BY STATE LAW AND CITY CODE.
- B. THE PROJECT IS GENERALLY CONSISTENT WITH THE GENERAL PLAN, THE FOLSOM PLAN AREA SPECIFIC PLAN, AND THE WHITE ROCK SPRINGS RANCH DESIGN GUIDELINES.

CEQA FINDINGS

- C. THE CITY, AS LEAD AGENCY, PREVIOUSLY CERTIFIED AN ENVIRONMENTAL IMPACT REPORT/ENVIRONMENTAL IMPACT STATEMENT FOR THE FOLSOM PLAN AREA SPECIFIC PLAN.
- D. THE CITY PREVIOUSLY DETERMINED THAT THE WHITE ROCK SPRINGS RANCH SUBDIVISION PROJECT AND CARR TRUST SUBDIVISION PROJECT ARE CONSISTENT WITH THE FOLSOM PLAN AREA SPECIFIC PLAN.
- E. THE CITY PREVIOUSLY DETERMINED THAT THE WHITE ROCK SPRINGS RANCH SUBDIVISION PROJECT AND CARR TRUST SUBDIVISION PROJECT ARE EXEMPT FROM THE REQUIREMENTS OF CEQA PURSUANT TO GOVERNMENT CODE SECTION 65457 AND CEQA GUIDELINES SECTION 15182.
- F. NONE OF THE EVENTS SPECIFIED IN SECTION 21166 OF THE PUBLIC RESOURCES CODE OR SECTION 15162 OF THE CEQA GUIDELINES HAVE OCCURRED.

G. NO ENVIRONMENTAL REVIEW IS REQUIRED FOR THIS APPLICATION.

DESIGN REVIEW FINDINGS

- H. THE PROJECT IS GENERALLY IN COMPLIANCE WITH THE GENERAL PLAN, THE FOLSOM PLAN AREA SPECIFIC PLAN, AND THE APPLICABLE ZONING ORDINANCES.
- I. THE PROJECT IS IN CONFORMANCE WITH THE WHITE ROCK SPRINGS RANCH DESIGN GUIDELINES.
- J. THE BUILDING MATERIALS, TEXTURES, AND COLORS OF THE PROJECT WILL BE COMPATIBLE WITH SURROUNDING DEVELOPMENT AND CONSISTENT WITH THE GENERAL DESIGN THEME OF THE NEIGHBORHOOD.

ATTACHMENT 2 BACKGROUND

BACKGROUND

On March 22, 2016, the City Council approved a Large-Lot Vesting Tentative Subdivision Map, Small-Lot Vesting Tentative Subdivision Map, Project Design Guidelines, Inclusionary Housing Plan, and Amendment No. 1 to the First Amended and Restated Tier 1 Development Agreement for development of a 395-unit single-family residential subdivision (White Rock Springs Ranch Subdivision) on a 138.9-acre property located within the southeast portion of the Folsom Plan Area. The Large-Lot Vesting Tentative Subdivision Map subdivided the subject property into 10 single-family residential lots, 6 open space lots, a portion of a school site, and a portion of a neighborhood park site. The Small-Lot Vesting Tentative Subdivision Map subdivided the large-lot residential parcels into 395 single-family residential lots. Lastly, the White Rock Springs Ranch Design Guidelines were approved for the orderly development of the proposed single-family residential subdivision. The Small-Lot Vesting Tentative Subdivision Map associated with the project received an automatic three-year extension in 2018 as provided for by the State Subdivision Map Act.

On June 28, 2016, the City Council approved of a General Plan Amendment, Specific Plan Amendment, Small-Lot Vesting Tentative Subdivision Map, Project Design Guidelines, Inclusionary Housing Plan, and Amendment No. 1 to the First Amended and Restated Tier 1 Development Agreement for development of a 28-unit single-family residential subdivision (Carr Trust Property Subdivision) on a 14.67-acre property located within the southeast portion of the Folsom Plan Area. The General Plan Amendment changed the General Plan land use designations from MLD and OS to SFHD and OS. The Specific Plan Amendment changed the Specific Plan land use designations from SP-OS2 and SP-MLD to SP-OS2 and SP-SFHD-PD. The Small-Lot Vesting Tentative Subdivision Map subdivided one of the subject parcels into 28 single-family residential lots. Lastly, the Carr Trust at White Rock Springs Ranch Design Guidelines were approved for the orderly development of the proposed single-family residential subdivision. The Small-Lot Vesting Tentative Subdivision Map associated with the project received an automatic three-year extension in 2018 as provided for by the State Subdivision Map Act.

GENERAL PLAN DESIGNATION

SFHD (Single-Family High Density)

SPECIFIC PLAN DESIGNATION

SP-SFHD PD (Folsom Plan Area Specific Plan, Single-Family High Density Planned Development District) and SP-SFHD (Folsom Plan Area Specific Plan, Single-Family High Density District) ADJACENT LAND USES/ZONING North: Undeveloped Residential Land (SP-

SF) with Grand Prairie Road Beyond

South: White Rock Road with Undeveloped

Land with Sacramento County

Beyond

East: Undeveloped Residential Land (SP-

SF and SP-SFHD) with Empire

Ranch Road Beyond

West: Savannah Parkway with

Undeveloped Multi-Family

Residential Land (MLD) Beyond

SITE CHARACTERISTICS

The project site is currently in the process of

being graded. Site improvements

(underground utilities, roadways, curbs, gutters, sidewalks, etc.) are expected to be

constructed within the next six months

APPLICABLE CODES FPASP (Folsom Plan Area Specific Plan)

White Rock Springs Ranch Design

Guidelines

FMC 17.06, Design Review

Attachment 3 Conditions of Approval

FEAST AND S	NORTHEAST AND SOUTHEAST CORNERS OF MANGINI PARKWAY AND SAVANNAH PARKWAY WITHIN FOLSOM PLAN AREA RESIDENTIAL DESIGN REVIEW	TTHIN FOLSO	M PLAN AREA
Mitigation Measure	Condition/Mitigation Measure	When	Responsible
	The applicant shall submit final site development plans to the Community Development Department that shall substantially conform to the exhibits referenced below:		
	 White Rock Springs Ranch/Carr Trust Site Plan Exhibit, dated August 15, 2017 Landscape Plan Exhibits, dated July 11, 2019 Street Scene Exhibit, dated September 30, 2019 Building Elevations and Floor Plans, dated September 30, 2019 Color and Material Schemes, dated July 21, 2019 	В	CD (P)(E)
	This project approval is for the White Rock Ranch Springs/Carr Trust Subdivision Residential Design Review, which includes design review approval for 121 traditional single-family residential units located within the previously approved White Rock Springs Ranch Village 1 Subdivision and Carr Trust Subdivision project for the White Rock Ranch Springs/Carr Trust Subdivision Residential Design Review project (PN 19-310). Implementation of the project shall be consistent with the above-referenced items as modified by these conditions of approval.	# # # # # # # # # # # # # # # # # # #	
	Building plans shall be submitted to the Community Development Department for review and approval to ensure conformance with this approval and with relevant codes, policies, standards and other requirements of the City of Folsom.	В	CD (P)(E)(B)
	The project approvals granted under this staff report (Residential Design Review) shall remain in effect for two years from final date of approval (October 16, 2021). Failure to obtain the relevant building (or other) permits within this time period, without the subsequent extension of this approval, shall result in the termination of this approval.	В	CD (P)

Page 13

ION	CONDI RTHEAST AND SO	CONDITIONS OF APPROVAL FOR THE WHITE ROCK SPRINGS RANCH/CARR TRUST SUBDIVISION RESIDENTIAL DESIGN REVIEW PROJECT (PN 19-310) NORTHEAST AND SOUTHEAST CORNERS OF MANGINI PARKWAY AND SAVANNAH PARKWAY WITHIN FOLSOM PLAN ADEA	F SUBDIVISION	M PI AN ADEA
		RESIDENTIAL DESIGN REVIEW		
	Mitigation	Condition/Mitigation Measure	When	Responsible
	Measure		Required	Department
×.		If the City utilizes the services of consultants to prepare special studies or provide specialized design review or inspection services for the project the applicant shall		
		reimburse the City for actual costs it incurs in utilizing these services, including	В	CD (P)(F)
		administrative costs for City personnel. A deposit for these services shall be provided	1	
		prior to initiating review of the Final Map, improvement plans, or beginning inspection,		
		Whichever is applicable.		
6		This project shall be subject to all City-wide development impact fees, unless exempt		
		by previous agreement. This project shall be subject to all City-wide development		
		impact fees in effect at such time that a building permit is issued. These fees may		
		include, but are not limited to, fees for fire protection, park facilities, park equipment,	В	CD (P)(E), PW, PK
		Humbug-Willow Creek Parkway, Light Rail, TSM, capital facilities and traffic impacts.		
		The 90-day protest period for all fees, dedications, reservations or other exactions		
		imposed on this project will begin on the date of final approval (October 16, 2019). The		
		fees shall be calculated at the fee rate in effect at the time of building permit issuance.		
10.		The owner/applicant agrees to pay to the Folsom-Cordova Unified School District the		
		maximum fee authorized by law for the construction and/or reconstruction of school		
		facilities. The applicable fee shall be the fee established by the School District that is in		
		effect at the time of the issuance of a building permit. Specifically, the owner/applicant	В	CD (P)
		agrees to pay any and all fees and charges and comply with any and all dedications or		
		other requirements authorized under Section 17620 of the Education Code; Chapter 4.7		
		(commencing with Section 65970) of the Government Code; and Sections 65995.		
		65995.5 and 65995.7 of the Government Code.		

Planning Commission White Rock Springs Ranch/Carr Trust Subdivision Residential Design Review (PN 19-310) October 16, 2019

.5	CD (P)
	B
ARCHITECTURE/SITE DESIGN REQUIREMENTS	Final exterior building and site lighting plans shall be submitted for review and approval by Community Development Department for aesthetics, level of illumination, glare and trespass prior to the issuance of any building permits. The exterior building and site lighting will be required to achieve energy efficient standards by installing high-intensity discharge (mercury vapor, high-pressure sodium, or similar) lamps. Lighting shall be equipped with a timer or photo condenser. Lighting shall be designed to be directed downward onto the project site and away from adjacent properties and public rights-of-way.
	11.

			CD (P) (B)			
			В			
The project shall comply with the following architecture and design requirements:	1. This approval is for three, two-story master plans (four building elevations with eighteen color and material options and 216 visual expressions) for White Rock Ranch Springs/Carr Trust Subdivision. The applicant shall submit building plans that comply with this approval and the attached building elevations dated September 30, 2019.	2. The design, materials, and colors of the proposed White Rock Springs Ranch/Carr Trust Subdivision single-family residential units shall be consistent with the submitted building elevations, materials samples, and color scheme to the satisfaction of the Community Development Department.	3. Windows or similar architectural features shall be included on the second-story left building elevation of the Citrine N904 master plan (Pages A2.5, A2.7, and A2.9), the second-story left building elevation of the Moonstone N914 master plan (Pages A4.5, A4.7, and A4.9), the second-story left building elevation of the Sutherland N827 master plan (Pages A2.6, A2.8, and A2.10), and the second-story right building elevation of the Alexa N590 master plan (Pages A4.7, A4.9, and A4.11) to the satisfaction of the Community Development Department.	4. The Community Development Department shall approve the individual lot permits to assure no duplication or repetition of the same house, same roof-line, same elevation style, side-by-side, or across the street from each other.	5. All mechanical equipment shall be ground-mounted and concealed from view of public streets, neighboring properties and nearby higher buildings. For lots abutting the open space areas, mechanical equipment shall be located out of view from open space areas.	6. Decorative light fixtures, consistent with the White Rock Springs Ranch Design Guidelines and unique to each architectural design theme, shall be added to the front and rear building elevation of each Master Plan to the satisfaction of the Community Development Department.
12.						

Page 17

Planning Commission White Rock Springs Ranch/Carr Trust Subdivision Residential Design Review (PN 19-310) October 16, 2019

		FD			PD	
		В			В	
7. A minimum of one tree shall be planted in the front yard of each residential lot within the subdivision. A minimum of two trees are required along the street-side of all corner lots. All front yard irrigation and landscaping shall be installed prior to a Building Permit Final.	FIRE DEPARTMENT REQUIREMENT	The building shall have illuminated addresses visible from the street or drive fronting the property. Size and location of address identification shall be reviewed and approved by the Fire Marshal.	POLICE/SECURITY REQUIREMENT	The owner/applicant shall consult with the Police Department in order to incorporate all reasonable crime prevention measures. The following security/safety measures shall be required:	A security guard shall be on-duty at all times at the site or another approved security measure shall be in place including but not limited to a six-foot security fence shall be constructed around the perimeter of construction areas. (This requirement shall be included on the approved construction deavings)	Security measures for the safety of all construction equipment and unit appliances shall be employed. Landscaping shall not cover exterior doors or windows, block line-of-sight at intersections or screen overhead lighting.
12. Cont.		13.		14.		

Attachment 4 Vicinity Map

Vicinity Map



Land Use Legend








Project Site

Figure 4.1 Land Use

Attachment 5 Site Plan Exhibit, dated August 15, 2017



Attachment 6 Landscape Plan Exhibits, dated July 11, 2019



IN-LINE TYPICAL LOTS

LANDSCAPE CONCEPT STATEMENT

STREETSCAPE DESIGNED WITH INTENT TO CREATE
AESTHETIC CONTIGUOUS TREE CRANDPY, TO DEVELLOP
NEIGHBORHOOD THEMES, LANDSCAPE BLENDS FROM ONE
YARD TO THE MEXT, INMINISHING LOT BOUNDARIES, WHILE
STILL HANNIO BYBLUE THEMES FOR EACH HOME
STILL HANNIO SHALL BE PLACED ADJACENT TO FOUNDATIONS
AND FENCES TO SOFTEN HARD SURFACES AND BLANK
WALLS, SIFURB OF KYARYING HEIGHTS WOTHST, TEXTURES,
AND COLOR ARE INTRODUCED THROUGHOUT DESIGN TO
PROVIDE INTEREST AND COMPOSITION TO THE LANDSCAPE
WE INTEND TO INCORPORATE GRASSY SYMLES OF READ
GRADUE IN FROM TY APPE LANDSCAPE
GRADUE IN FROM TY APPE LANDSCAPE
GRADUE IN FROM THE PRODUCED THE CONTROL OF SIGNS TO
DECREASE

DOCO NEIGHBOR FENCE, TYPICAL, SEE DETAIL A, SHEET LA WOOD GATE, TYPICAL, SEE DETAIL B. SPEETLA FENCE LEGEND

 \subseteq

PLANTING NOTES

- THE INDIVIDUAL HOMEDWINER SHALL BE RESPONSIBLE FOR MAINTAINING THE L. ON EACH LOT.
- THE ALMITHUS DESIGN FOR THE BITE SHALL BE DROUGHT TOLENANT AND CONSIST OF A DESAULT OF CHARLES WHO DECIDIOUS PLANTING AS WELL AS NATIVE AND DECIDIOUS PLANTING AS WELL AS NATIVE AND
 - PROPERED THE LOCATIONS WE ENSIGN STANDING SONT THEN OF LOCATIONS F TREE COCATIONS TO BE DETERMINED INCL. WILLITE LOCATIONS ARE PROVIDED TREE IN ACTUALLY MAY BE ADMOSTED BUT FIRST, THEIR COUNT WILL HENAM THE SAME.
- PROPOSED TREE CANOPIES ARE SHOWN AT 78% MATURE GROWTH DIAMETER IN OADER TO ENSURE THERE IS SUFFICIENT ROOM FOR TREE GROWTH AND HEALTH ALL PLANTING AREAS TO RECEIVE 3" BARK MULCH,
 - REE SETBACKS SHALL BE MIN:
- S' FROM CURA & PAVED SURFACES S' FROM WATER METERS AND JOINT TRENCHES 20 FROM STREETLIGHTS

WONTE DAYLL RECEIVE LINEAR ROOT OFFIS FEWER LINES & FIRE PODIANTS ID PROMORUNIST & CATO "ALL THEES NOT MEETING THE SETTINGS MEDIA INVESTIGATION OF SECTION.

IRRIGATION CONCEPT STATEMENT

THE STATE OF OLD GN FOR THE SITE SHALL COMPLY WITH THE STATE OF CALFORNIA MOCK, WATER BY THE STATE OF CALFORNIA WATER BY THE S

THE INHIGATION STREAMS WALL BE AUTEMATICALLY CONTROLLED BY AN ET BRIGATION CONTRICATE GAMBAGE ON ALL'ITRES, FRODEWARDER, AND ONDERCONDERCH CONTROLLED ON STREAMS OF STREAMS OF CONTROLLED MALL MAYS. A SHIGHCY GLOSKY ON ALLOW MAKE INHIBITION STREAMS OF SERIAL THANKS A SHIGHCY GLOSKY ON ALLOW MAKE INHIBITION STREAMS OF SERIAL THANKS AND RESEAT FOR EAST OF SALARITY ON SOIL FEDGLA AT MAKES.

NAMIT WILL BE CHOUSED ONTO REPUNATE VALUES ACCRETING TO EAR EXPOSEDER A WATER OFF OUR LOWN ON THE SECRETARY OF PROPERTY OF PROPERTY. SCHEDLING WILL HELL OFF THE RECORD, EVANCE TANGENERS WATER THE ETHE WALLEY CONTROL TO BUY DURING MONTHME INCHES WING A THE ETHE EFFORT. THE IRRIGATION SYSTEMS WILL CONSIST PRIMARILY OF LOW VOLUME, LOW FLOW FIGHTS. FOR THEES AND POINT SOURCE DRIP IRRIGATION FOR SHRUBS AND GROUNDSOURES.

VILLAGE 1 AT WHITE ROCK SPRINGS RANCH

Folsom, California

ME RICAN HONES
ONE MARROR CENTER, SUITE 100
SUBJECT AND CALFORNIA 94585
(TOTALE-2000)

FRONT YARD TYPICALS
CONCEPTUAL LANDSCAPE PLAN
JULY 11, 2019





-

5044 XXXX 5444 **** 3333 PROPOSED PLANT PALETTE WOW LOW NO FOR NOD NOD ACCENT FROM YARD TREES ARCTOSTABINTON EMECALINE MYOPORUM PARVEOLIUM SCAEVOLA MAUVE CLUSTERS BOTANICAL NAME (0

STREET TREES







ACCENT/ FRONT YARD TREES









GROUNDCOVERS

BACKGROUND SHRUBS

























FOUNDATION SHRUBS





LARGE ACCENT SHRUBS



















SMALL ACCENT SHRUBS









PLANTING NOTES

- THE PLANTING DESIGN FOR THE SITE SHALL BE DROUGHT TOLERANT AND CONSI BALANCE OF EVEROPREEN AND DECIDIOUS PLANTING AS WELL AS NATIVE AND OPWAMENTAL PLANTING
- FREDORED THE LOCATORS ARE BASED ON ELANCARD CONTINUED CONTINUES ARE ROUNDED. THEE LOCATORS TO BE NOTERIAND INFORMAL THE COLATION. REPAY THE SAME. THEE PLACEMENT MAY BE ADJUSTED BUT INME, THE COLATION. REPAY THE SAME.
 - PROPOSED TREE CANOPIES ARE SHOWN AT 75% MATURE GROWTH DIAMETER IN DIR TO ENSURE THERE IS SUFFICIENT ROOM FOR TREE GROWTH AND HEALTH ALL PLANTING AREAS TO RECEIVE 3" BARK MULCH

E SETBACKS SHALL BE MIN


S FRON CURB & PANED SUBFACES S FROM WATERETIGHTS 27 FROM STREETLIGHTS 17 FROM SANITARY SEWER LINES & PIRE HYDRAMTS 10" FROM DHAIN LINES & CATCH BASINS 10" FROM SANITARY SEWER LINES & PIRE HYDRAMTS 10" FROM DHAIN LINES & CATCH BASINS WAS TREES NOT MEETING THE SETSNOOT RES AMMERIES, SEE CULTAL & SMEET CA.


RICHMOND ON THE RICH HE SOME H

VILLAGE 1 AT WHITE ROCK SPRINGS RANCH Folsom, California


PLANT IMAGES
CONCEPTUAL LANDSCAPE PLAN
JULY 11, 2019









And the second s








E ROOT BARRIER



VILLAGE 1 & CARR LOTS AT WHITE ROCK SPRINGS RANCH DETAILS & WATER CALCULATIONS FOLSOM, California CONCEPTUAL LANDSCAPE PLAN JULY 11, 2019

Copynght 2018 vanderToolen Associates. The drawings or written materials or



Project No 11918

SCALE: 1" = 10:0"

Copyright 2019 vander

**** 24" BOX 46646 164 E PROPOSED PLANT PALETTE MOD NOON 70W 10W 10W MOD MOD COMMON NAME ACCENT FROMT YARD TREES COTONEASTER BP MYCPORIUM PARVIFOLIUM BCAEVOLA MAUVE CLUSTERS **BACKGROUND SHRUBS** ARGE ACCENT SHRUBS **EQUINDATION SHBUBS** BOTANICAL NAME STREET TREES ***** 1

STREET TREES







ACCENT/ FRONT YARD TREES









BACKGROUND SHRUBS

























FOUNDATION SHRUBS







LARGE ACCENT SHRUBS











SMALL ACCENT SHRUBS







GROUNDCOVERS







PLANTING NOTES

- THE PLANTING DESIGN FOR THE SITE SHALL BE DROUGHT TOLERANT AND CONSIST OF A BALANCE OF FRAFFREED HAID DECIDIOUS PLANTING AS WELL AS NATIVE AND GRIANARING AND THE STATE SHALL AS NATIVE SHALL AS NATIVE AND THE STATE SHALL AS NATIVE SHALL AS NATIVE AND THE STATE SHALL AS NATIVE SH
 - PROPUED THE LOCATORS AND BASED ON STANDING LOCATIONS ARE ENOUGED. THE ENGLAND SOME THE ENGLANCES FROM THE SAME.

 THEE IN ALTHER THAT BE ADJUSTED BUT THAT FOR ECCUST WILL BE MAD IN THE SAME.
- PROPOSED TREE CANOPIES ANE SHOWN AT 75% MATURE GROWTH DAMETER IN ORDEN TO ENSURE THERE IS SUFFICIENT ROOM FOR TREE GROWTH AND HEALTH
 - ALL PLANTING AREAS TO RECEIVE 3" BARK MULCH REE SETBACKS SHALL BE MIN

S FROM CURB & PAVED SJEFACES 6 FROM WITH IMETERS AND JOINT TREACHES THOM STREET LIGHTS 19 FROM SAMTARY SEWER LINES & FIRE HYDRANTS 19FROM DRAIN LINES & CATCH ALL THEE NOT MEETING THE SETBACKS REQUIREMENTS SHALL RECEIVE MARKONS, SAY DETAIL E SHEETLA


RECHMOND ON THE STATE OF THE ST


VILLAGE 1 AT WHITE ROCK SPRINGS RANCH Folsom, California


PLANT IMAGES
CONCEPTUAL LANDSCAPE PLAN
JULY 11, 2019












Br - B



90

99

TO FIRST BRANCH

9 9

કૃત્યું છ 99 PREVAILING WIND

RUBBER TWIST TIES WRAPPED IN A FIGURE "8" AROUND TRUNK

TWICE ROOTBALL DIAMETER ELEVATION

C TREE STAKING



999_T

- CONCRETE PAVING.
 CONCRETE CURB AND GUTTER PER CIVIL ENGINEER. (2) AMENDED BACKFILL
- (S) TREE ROOTBALL, SEE DETAIL C, THIS SHEET FOR TREE PLANTING INFORMATION

NOTE: -REFER TO THE TREE PLAN, SHEET L-1 FOR TREE PLACEMENT AND SETBACKS.

E ROOT BARRIER



VILLAGE 1 & CARR LOTS AT WHITE ROCK SPRINGS RANCH DETAILS & WATER CALCULATIONS CONCEPTUAL LANDSCAPE PLAN JULY 11, 2019

Folsom, California

Project No. 11918

Copyright 2019 vanderToolen Associates. The drawings or writen materials

Planning Commission White Rock Springs Ranch/Carr Trust Subdivision Residential Design Review (PN 19-310) October 16, 2019

Attachment 7 Street Scene Exhibits, dated September 30, 2019



PERIDOT N908
A | Spanish Colonial COLOR SCHEME #1

CITRINE N904

B | Western Farmhouse colors scheme #6 LIBRARY SCHEME 3H

PEARL N913 C | Craftsman color Scheme #9 LIBRARY SCHEME 10A

MOONSTONE N914
A | Spanish Colonial
color scheme #2
LIBRARY SCHEME #0

CONCEPTUAL STREETSCENE

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA





ANDREA N670 C | Craftsman COLOR SCHEME #9 LIBRARY SCHEME 12A

A | Spanish Colonial Colon scheme #2 LIBRARY SCHEME 50

ALEXA N590
A | Spanish Colonial color scheme #1 LIBRARY SCHEME #1

CONCEPTUAL STREETSCENE

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA

FOLSOM, CA



SS

Planning Commission White Rock Springs Ranch/Carr Trust Subdivision Residential Design Review (PN 19-310) October 16, 2019

Attachment 8 Building Elevations and Floor Plans Dated September 30, 2019

WHITE ROCK SPRINGS RANCH

DESIGN REVIEW

Peridot, N908

1,733 Sq. Ft. 1,874 Sq. Ft.

Citrine, N904

2,381 Sq. Ft.

Pearl, N913

Moonstone, N914

2,638 Sq. Ft.

Architectural Styles

A—Spanish Colonial

B— Western Farmhouse





Spanish Colonial

- Concrete 'S' Tile Roofing
- Shallow pitched roof: range 3 to 5 and 12 (5 and 12 at main ridge typ.) Hipped root, or front to back, with secondary front facing gable elements Engineered casts stone medallion at front facing gable ends
- Primary exterior wall material: stucco
 - Recess windows at front elevations
 - Thickened stucco base
- Full arch element at ontry porch Plank-style shutters at select windows Garage door recess: 8" | Sonoma panel style Window grids at front elevations: 2x2

Western Farmhouse 18" Eaves | 12" Rakes Composition Shingle Roofing

Steep pitched roof; range 3.5 to 6.5 and 12 (4 and 12 at main ridge typ.) Gable rool with secondary from facing gable elements Lap siding at front facing gable ends

Primary exterior wall material: stocoo Double porch posts Plank style shutters with diagonal brace at select windows Garage door recess: 8' | Springfurd Square panel style Window grids at front elevations: 2x4

CITRINE N904 Color Scheme #3 Library Scheme 50

PERIDOT N908 Color Scheme #1 Library Scheme 2D







PEARL N913







CITRINE N904 Color Scheme #6 Library Scheme 3H

PERIDOT N908 Color Schame #4 Library Schame 1H

18" Eaves | 12" Rakes
Composition Shingle Roucing
Shallow placed roof as 30 is and 12 (4 and 12 at main ridge typ.)
Gable not with accondary front laring gable elements
Board and batten stiffing, with shaped outlookers at front facing gables

Craftsman

Tapered column resting on stone pier Windows are gapaged at select locations and tully trimmed Gargae door recess; 8"1 Sonoma Ranch panel style Window grids at front elevations; 722 (apper only)

Lap siding accents at gable ends Primary exterior wall material: stucco









Color Scheme #9 Library Scheme 10A PEARL N913

CITRINE N904 Color Scheme #7 Library Scheme 1A

PERIDOT N908 Color Scheme #8 Llbrary Scheme 8A



MODNSTONE N914 Color Scheme #8 Library Scheme 8A

Style Review


THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

FOLSOM, CA



& RICHMOND

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, ING. DBA WHA | 2018346 | 05-30-19




THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

FOLSOM, CA

M RICHMOND

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC., DBA WHA. | 2018346 | 09-30-19





17.

Ġ,

44

র্মীর

꺍

m

A | Spanish Colonial Eave 18" / Rake 12" Concrete 'S' Tile

PERIDOT N908

B | Western Farmhouse
Eave 18" / Rake 12"
Composition Shingle

C | Craftsman Eave 18" / Rake 12" Composition Shingle Roof Plans





A | Spanish Colonial



C | Craftsman



B | Western Farmhouse

PERIDOT N908

Front Elevations

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

8

O 白

- A Shallow pitch concrete is 'tile roof (18" Eaves | 12" Rakes)

 B Hipped roof with secondary front facing gable elements

 C Engineered cast stone medallion at front facing gable ends

 D Stucco finish (primary exterior wall material)

 E Thickened stucco base

 F full arch element at entry porch

 G Decorative plank-style shutters at select windows

 H Metal sectional graded door with opt glass,

 Sonoma panel style, and 8" recess

 Window grids at front elevations: 2x2

A | Spanish Colonial

Ø

Design Elements | Western Farmhouse:

- A Steep pitch composition shingle roof (18' Eaves | 12" Rakes)

 6 Gable roof with secondary front facing gable elements

 6. Lap siding at front facing gable ends

 Distriction finish (primary exterior wall material)

 E Double porch posts

 F Decorative plank-style shutters with diagonal brace at select windows of Metal sectional garage door with opt. glass,


 Springtord Square panel style, and 8" recess

 H Window grids at front elevation: 2x4

 Diptonal coach light

٧ 4 囯

Design Elements | Craftsman:




B | Western Farmhouse

C | Craftsman

PERIDOT N908

Front Elevations

A1.4 WHA




10P

יומה מיני

Front

FE/TOC



Rear

PERIDOT N908 | A - Spanish Colonial Building Elevations COLOR SCHEME #1 LIBRARY SCHEME #2

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

T.0.P. F.F.T.O.C. FF/TO.C. , TOP.


Left



Right

PERIDOT N908 | A - Spanish Colonial Building Elevations COLOR SCHEME #1 LIBRARY SCHEME ZD

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA



Optional Covered Patio

FE/T.O.C.

, REALOG

Left

TOP


T0.P

PERIDOT N908 | A - Spanish Colonial Building Elevations

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA



Front



Rear

PERIDOT N908 | B - Western Farmhouse Building Elevations

FOLSOM, CA

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA



PERIDOT N908 | B - Western Farmhouse Building Elevations

FF/T.0.C.

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA FOLSOM, CA

A1.9 WHA

RICHMOND

© 2019 WILLIAM HEZMALHALCH ARCHTTECTS, INC. DBA WHA. | 2018345 | 09:30-19

Right T.0.P T.O.P. Rear 롈 연 현 ց FF/T.0.C. T.0.P. T.O.P FFTOC Left

Optional Covered Patio


PERIDOT N908 | B - Western Farmhouse Building Elevations

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA


A1.10 WHA.

FOLSOM, CA

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, ING. DBA WHA. | 2018346 | 09-30-19



Front



Rear

PERIDOT N908 | C - Craftsman Building Elevations

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018346 | 09-30-19


F.F.77.0.C T.0.P. T.O.P. FE/T.O.C.

Left



Right

PERIDOT N908 | C - Craftsman Building Elevations



PERIDOT N908 | C - Craftsman Building Elevations


THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

& RICHMOND

A1.13 WHA.

FOLSOM, CA

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, (ING., DBA WHA. | 2018346 | 09-30-19



THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

FOLSOM, CA

& RICHMOND

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018345 | 09-30-19

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

FOLSOM, CA

ដា **(**# र्वा दें। (1) 1904 12) w

ğ

35.12

Ē

B | Western Farmhouse Eave 16"/ Rake 12" Composition Shingle


C | Craftsman
Eave 18" / Rake 12"
Composition Shingle

a

A | Spanish Colonial

Eave 18" / Rake 12" Concrete 'S' Tile

CITRINE N904 Roof Plans



A | Spanish Colonial



C | Craftsman



B | Western Farmhouse

CITRINE N904

Front Elevations

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA



RICHMOND AMES

Design Elements | Spanish Colonial:

- A Shallow pitch concrete's' tile roof (18" Eaves | 12" Rakes)

 B Hipped roof with secondary front facing gable elements
 C Engineered cast stone medallion at front facing gable ends
 D Stucco linish (primary exterior wall material)
 E Thickened stucco base
 F Full arch element at entry porch
 G Recess windows at front elevation (min 2")
 H Decorative plank-style shutters at select windows
 I Metal sectional garage door with opt glass,
 Sonoma panel style, and 8" recess
 Window grids at front elevations: 2x2
 Window grids at front elevations: 2x2
 K Optional coach light

白

A

山

Design Elements | Western Farmhouse:

A

- A Steep pttch composition shingle roof (18" Eaves | 12" Rakes)

 6 Gable roof with secondary front facing gable elements

 C Lap stding at front facing gable ends

 E Stucco finish (primary exterior wall material)

 E Double porch posts

 F Decorative plank-style shutters with diagonal brace at select windows

 G Metal sections garage door with opt. glass,
 - Springford Square panel style, and 8" recess H Window grids at front elevation: 2x4

自 ш

Design Elements | Craftsman:

- A Shallow pitch composition shingle roof (18" Eaves | 12" Rakes)

 B Gable roof with secondary front facing gable elements

 C Board and batten siding, with shaped outdookers at front facing gables

 D Lap sliding accents at gable end.

 E Subco finish (primary exterior wall material)


 F Metal sectional garage door with opt, glass,
 Sonorina Ranch panel style, and 8" recess

 Mindow grids at front elevation: (2x2 upper only)

 H Optional coach light

 Tapered column resting on stone pier

 G Ganged windows at select locations




A | Spanish Colonial

¥

60

B | Western Farmhouse

4



C | Craftsman

CITRINE N904


Front Elevations

A2.4 WHA THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

FOLSOM, CA



© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018346 | 09-30-19



THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA FOLSOM, CA

W RICHMOND

C 2019 WILLIAM REZNALHALCH ARCHITECTS, INC. DBA WHA. | 2018346 | 09-30-19

Optional Covered Patio

Left

CITRINE N904 | A - Spanish Colonial Building Elevations


THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA


& RICHMON


A2.6

FOLSOM, CA

© 2019 WILLIAM HEZMALHALCH ARGHTECTS, INC. DBA WHA. | 2018345 | 09-30-19







F

Right CITRINE N904 | B - Western Farmhouse Building Elevations COLOR SCHEME #6 LIBRARY SCHEME 3H

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA



FOLSOM, CA

& RICHMOND

🔅 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018346 | 09-30-19

F.F. AT BRANCES 2 현 벍 4 z 3 1.00 _ TOP.

Optional Covered Patio

Right

Rear

Left

FF./T.O.C

CITRINE N904 | B - Western Farmhouse Building Elevations


THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

A2.8 WHA

FOLSOM, CA

RICHMOND STREET

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, ING. DBA WHA. | 2018345 | 09-30-19



© 2019 WILLIAM HEZMALHALCH ARCHITECTS, ING. DBA WHA. | 2018346 | 09-30-19

Optional Covered Patio

Left


CITRINE N904 | C - Craftsman Building Elevations

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA FOLSOM, CA

& RICHMOND


© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018346 | 09-30-19

PEARL N913
2,381 SF
3 Bdrm | 2 Bath | Study | Loft
Opt. Bdrm 4 w/Ba 3 | Opt. Bdrm 5
Opt. Alt. Kitchen
2-Bay Garage
9/8' Plates



M BORM.

..... ***



2 BAY GARAGE

BDRM 2 Nraa Curr Hitterize

1

BATH 2

PEARL N913 Opt. Floor Plans

Opt. Alt. Kitchen


Opt. Bedroom 4 w/Bath 3

Opt. Bedroom 5

KITCH

F 12 2





99

A | Spanish Colonial

B | Western Farmhouse

C | Craftsman
Eave 18" / Rake 12"
Composition Shingle

Eave 18" / Rake 12" Composition Shingle

#200 (1.1) Eave 18" / Rake 12" Concrete 'S' Tile


PEARL N913

Roof Plans

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA



& RICHMOND



A | Spanish Colonial



C | Craftsman



PEARL N913Front Elevations

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA



& RICHMOND

Design Elements | Spanish Colonial:

- Shallow pitch concrete 's' tile roof (18" Eaves | 12" Rakes)
- Hipped root with secondary front facing gable elements Engineered aest stone medallon at front facing gable ends Stucco finish (primary exterior wall material) Thickened stucco base A Shallow pitch concrete 's' tile roof (18" Eaves | 12" R

 E Hipped roof with secondary front facing gable element

 C Engineered cast stone medallion at front facing gable element

 D Stucco finish (primary exterior wall material)

 E Thickened stucco base

 E full arch element at entry porch

 G Recess windows at front elevation (min 2")

 H Decorative plank-style shutters at select windows

 Metal sectional garage door with opt, glass,

 Shortona navel style and R' recess.

- - Sonoma panel style, and 8" recess

 Window gnos at front elevations: 2X2

 K Optional coach light

Design Elements | Western Farmhouse:

- Steep pitch composition shingle roof (18" Eaves | 12" Rakes) Gable roof with secondary front facing gable elements. Lap siding at front facing gable ends. Subcoo finish (primary exterior wall material). Double porch posts.
- Decorative plank-style shutters with diagonal brace at select windows
 - Metal sectional garage door with opt, glass.
 Springford Square panel style, and 8" recess.

 Window grids at front elevation: 2x4.

 Optional coach light

日 9 回 Ó 由 山 山

B | Western Farmhouse

Design Elements | Craftsman:

- A Shallow pitch composition shingle not (18" Eaves | 12" Rakes)

 6 Gable nof with secondary front facing gable elements

 C Board and batten slding, with shaped outlookers at front facing gables

 D Lap siding accents at gable ende

 E Succo thirsh (primary exterior wall material)

 Metal sectional garage door with opt, glass,
 Sonoma Ranch panel style, and 8" recess


 S Window grids at front elevation: (2x2 upper only)

 H Optional coach light


 I Tapered column resting on stone pier


THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

FOLSOM, CA



A | Spanish Colonial






C | Craftsman

PEARL N913

Front Elevations


A3.4



THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

FOLSOM, CA

A3.5



PEARL N913 | A - Spanish Colonial Building Elevations


THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

& RICHMOND

A3.6

FOLSOM, CA

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018346 | 09-30-19



WHA

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC., DBA WHA.. | 2018346 | 09-30-19

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

W RICHMOND



Left

PEARL N913 | B - Western Farmhouse Building Elevations

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

& RICHMOND


A3.8

© 2019 WILLIAM HEZMALHALCH ARCHTECTS, INC. DBA WHA. | 2018346 | 09-30-19



Left

(a)



Rear

PEARL N913 | C - Craftsman Building Elevations COLOR SCHEME #9 LIBRARY SCHEME #9 Right

H

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

RICHMOND AMERICAN HONES

© 2019 WILLIAM HEZMALHALDH ARCHITECTS, ING. DBA WHA. | 2018345 | 09-30-19

A3.9

307

TOP

Left

FF.T.O.C.


PEARL N913 | C - Craftsman Building Elevations

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA FOLSOM, CA

& RICHMOND

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA.. (2018345 | 09-30-19

A3.10 WHA



8-44

MOONSTONE N914

2,638 SF
4 Bdrm | 2 Bath | Study | Loft
Opt. Bdrm 5 w/ Ba. 3 | Opt. Bdrm 6
Opt. Bath 3 w/ Study | Opt. Alt. Kitchen
2- Bay Garage
9/8' Plates

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, ING. DBA WHA. | 2018345 | 09-30-19

& RICHMOND


.4-1

© 2019 WILLIAM HEZMALHALCH ARCHTECTS, INC. DBA WHA. | 2018346 | 09-30-19

FOLSOM, CA




OPT. COVERED PATIO PV BILDED OR COME.



ENTRY 12 01







Opt. Alt. Kitchen

€. ****

27

45

人の意動と 41 P

A | Spanish Colonial

B | Western Farmhouse

C | Craftsman
Eave 18" / Rake 12"
Composition Shingle


Eave 18" / Rake 12" Composition Shingle

Eave 18" / Rake 12" Concrete 'S' Tile

MOONSTONE N914

Roof Plans


THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA



A | Spanish Colonial



C | Craftsman



B | Western Farmhouse

MOONSTONE N914

Front Elevations

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

RICHMOND STREET



- Shallow pitch concrete 's' tile roof (18" Eaves | 12" Rakes)
 - Hipped roof with secondary front facing gable elements Engineered cast stone medallion at front facing gable ends Stucco finish (primary exterior wall material)
 Thickened stucco base

A | Spanish Colonial

- Full arch element at entry porch Recess windows at front elevation (min 2") Decorative plank-style shutters at select windows
 - Metal sectional garage door with opt. glass,
 - Springford Square panel style, and 8" recess Window grids at front elevations: 2x2

Design Elements | Western Farmhouse:

- Steep pitch composition shingle roof (18" Eaves | 12" Rakes) Gable roof with secondary front facing gable elements
 - - Lap siding at front facing gable ends Stucco finish (primary exterior wall material) Double porch posts
- Decorative plank-style shutters with diagonal brace at select windows A Steep pitch composition shingle roof (18" Eaves

 6 dable roof with secondary front facing gable ele

 6 Lap siding at front facing gable ends

 5 Succo finish (primary exterior wall material)

 E Double porch posts

 F Decorative plank-style shutters with diagonal bro

 6 Metal sectional garage door with opt, glass,

 Ranch panel style, and 8" recess

 H Window ginss at front elevation: 2x4

 C pobional coach light

A 由 由

B | Western Farmhouse

Design Elements | Craftsman:

60

白

- Shallow pitch composition shingle roof (18" Eaves | 12" Rakes) Gable roof with secondary front facing gable elements Board and batten siding, with shaped outlookers at front facing gables A B O O B A
 - - Metal sectional garage door with opt. glass, Sonoma Ranch panel style, and 8" recess Window grids at front elevation: (2x2 upper only) Lap siding accents at gable ends Stucco finish (primary exterior wall material)
- Optional coach light
- Tapered column resting on stone pier

9 Ė

Ganged windows at select locations

日田日 2 \forall 甲阜 早 9 A 由 ш

C | Craftsman

*C 9

回


MOONSTONE N914 Front Elevations

国

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA




A4.4 WHA



THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA



M RICHMOND



MOONSTONE N914 | A - Spanish Colonial Building Elevations


FOLSOM, CA

A4.6


THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

RICHMOND REPORTS

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018346 | 09-30-19



© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018345 | 09-30-19




MOONSTONE N914 | B - Western Farmhouse Building Elevations

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

FOLSOM, CA



© 2019 WILLIAM HEZMALHALCH ARCHITECTS, ING. DBA WHA | 2018346 | 08-30-19




4.9 WHA.

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

FOLSOM, CA

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018345 | 09-30-19

RICHMOND |



Optional Covered Patio

Left

MOONSTONE N914 | C - Craftsman Building Elevations

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA FOLSOM, CA



© 2019 WALLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018346 | 09-30-19

WHITE ROCK SPRINGS RANCH

DESIGN REVIEW

Alan, N202

2,202 Sq. Ft.

Sutherland, N827

2,420 Sq. Ft. 2,779 Sq. Ft.

Alexa, N590

Andrea, N670

3,006 Sq. Ft.

Architectural Styles

A-Spanish Colonial

B—Western Farmhouse C—Craftsman



Spanish Colonial

- 18" Eaves | 12" Rakes Concrete 'S' tiles
- Shallow pilched roof: range 3 to 5 and 12 (5 and 12 at main ridge typ.) Hipped roof with secondary front facing gable elements Metal accent with stucco recess at front facing gable ends
- Primary exterior wall material: stucco
 - Recess windows at front elevations
- Thickened stucco base
- Full arch element at entry porch Plank-style shutters al select windows Garage door recess: 8 | Sonoma panel style Window grids at Iront elevations: 2x2

Western Farmhouse

18* Eaves | 12* Rakes
Concrete Flat liles
Step pliched root; range 3.5 to 6.5 and 12 (4 and 12 at main ridge typ.)
Gable root with secondary front facing gable elements
Las siding, with shapes outdooker at front facing gable ends
Primary exterior wall material: stucco

Simple porch post with knee brace
Plantestyles subtrites with dagonal brace at select windows
Garage door recess; 8° | Springord Square panel style
Window grids at front elevations: 2x4


SUTHERLAND N827 Color Scheme #2 Library Scheme 50

ALAN II N849 Calor Scheme #1 Library Scheme 3D





ANDREA N670 Color Schame #3 Library Scheme 6D



ALEXA N590

Color Scheme #4 Library Scheme 2E



ANDREA N670 Color Scheme #6 Library Scheme 66

SUTHERLAND N827

Color Schame #5 Library Schame 7E

Color Scheme #4 Library Scheme 2E ALAN II N849





Dalor Scheme ≢7 Library Scheme 10A ALEXA N590

Craftsman

- 18" Eaves | 12" Rakes Concrete Shake tiles

- Shallow pitched roof: range 3 to 5 and 12 (4 and 12 at main ridge typ.) Gable roof with secondary front facing gable elements Board and batten siding, with shaped authookers at front facing gables
 - Lap siding accents at gable ends Primary exterior wall material: stucco

- Tapered columns resting on stone piers
 Windows are ganged at settle Liceations and Juliy trimmed
 Garage door recess: 8 | Sonoma Ranch gatel style:
 Window grids at front elevations: 2x2 (topper only)

ALAN II N849 Coror Scheme #7 Library Scheme 10A



SUTHERLAND N827 Color Scheme #8 Library Scheme 11A



Galor Scheme #9 Library Scheme 12A




THE COLLECTION AT WHITE ROCK SPRINGS RANGH - MESA



© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA | 2018347 | 09-30-19


ALAN II N849
2,088 SF
3-4 Bdrm | 2.5 Bath | Study 1
Optional Suite | Optional Study 2
Optional Storage
2- Bay Garage
9- Plate



THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA

FOLSOM, CA

& RICHMOND



ENTENDED

Opt. Bdrm. 5 ilo Dining



Opt. Gourmet Kitchen








ALAN II N849 Opt. Floor Plans

Study 1 ilo Storage





M. BDRM.

Opt. Extended Covered Patio #2

GREAT HOOM

NOOK PO GA HS TING TIGHT

EXT. COVERED PATIO #2

ALAN II N849 Opt. Floor Plans

M. BORM.

Opt. Extended Covered Patio #1

GREAT ROOM P-P-D-E CARPET

NOOK INTERE

EXT. COVERED PATIO #1

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA

(8 en en

(8


B | Western Farmhouse Eave 18" / Rake 12" Concrete Flat Tile

C | Craftsman Eave 18" / Rake 12" Concrete Shake Tile

A | Spanish Colonial Eave 18" / Rake 12" Concrete 'S' Tile

ALAN II N849 Roof Plans

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA



A | Spanish Colonial



C | Craftsman



B | Western Farmhouse

ALAN II N849 Front Elevations





Design Elements | Spanish Colonial:

A Shallow pitch concrete 'S' tile roof (18" Eaves | 12" Rakes)

B Hipped roof with secondary front facing gable elements

C Metal accent with stucco recess at front facing gable ends

D Stucco infish (primary exterior wall material)

E Thickened stucco base

E Hull arch element at entry porch

D Becorative plank-style shutters at select windows

H Metal section aggragate door with opt, glass,

6

C

A | Spanish Colonial

A

甲甲甲

- Sonoma panel style, and 8" recess Window grids at front elevations; 2x2

0


Optional coach light

Design Elements | Western Farmhouse:

- Steep pitch concrete flat tile roof (18" Eaves | 12" Rakes)
- Gable roof with secondary front facing gable elements
 Lap siding, with shaped outlooker at front facing gable ends
 Stucco finish (finiary exterior wall material)
 Simple proch post with knee brace
 Decorative plank-style shutters with diagonal brace at select windows
- A Steep pitch concrete flat tile roof (18" Eaves 118 Gable roof with secondary front facing gable elec (Las pidng, with shaped outdooker at front facing US Stucco finish (primary exterior wall material)

 E. Simple porch post with knee brace

 F. Decorative plank-style shutters with diagonal brid Medical Strategies sectional garage door with opt. glass.



B | Western Farmhouse

C | Craftsman

₹


ALAN II N849

Front Elevations

Design Elements | Craftsman;

- Shallow pitch concrete shake tile roof (18" Eaves | 12" Rakes)
 Gable roof with secondary front facing gable elements
 Board and batten siding, with shaped outlookers at front facing gables


 - Lap siding accents at gable ends Stucco finish (primary exterior wall material)
- Metal sectional garage door with opt. glass, Sonoma Ranch panel style, and 8" recess Window grids at front elevation: (2x2 upper only)
 - Optional coach light
- Manufactured stone veneer with stucco cap Ganged windows at select locations



THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA


WHA A1.6

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018347 | 09-30-19



in e.e.





Rear


ALAN II N849 | A - Spanish Colonial Building Elevations COLOR SCHEME #1 LIBRARY SCHEME #1

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA



Left


1 10000



Right

ALAN II N849 | A - Spanish Colonial Building Elevations COLOR SCHEME #1 LIBRARY SCHEME #1


THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA




ALAN II N849 | A - Spanish Colonial Building Elevations

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA

A1.9 WHA



Front




Rear

ALAN II N849 | B - Western Farmhouse Building Elevations

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA FOLSOM, CA

AI.10 WHA

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA | 2018347 | 09-30-19




ALAN II N849 | B - Western Farmhouse Building Elevations

Right

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA FOLSOM, CA


© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. J. 2018347 J. 09-30-19



FOLSOM, CA

& RICHMOND

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA | 2018347 | 09-30-19



100

Rear


ALAN II N849 | C - Craftsman Building Elevations

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA FOLSOM, CA



Left


STALM 11-61, PRD




ALAN II N849 | C - Craftsman Building Elevations

Right

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA FOLSOM, CA




© 2019 WILLIAM HEZMALHALCH ARCHITECTS, ING. DBA WHA. | 2018347 | 09-30-19




FOLSOM, CA

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018347 | 09-30-19

RICHMOND.





SUTHERLAND N827


Opt. Floor Plans

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA

RICHMOND.

FOLSOM, CA

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018347 | 09-30-19



SEAR S

21/475

3872

31712

(H

任

Œ

PR)

司

#

数

3132

A | Spanish Colonial Eave 18" / Rake 12" Concrete 'S' Tile


B | Western Farmhouse Eave 16"/ Rake 12" Concrete Pat Tile

C | Craftsman
Eave 18" / Rake 12"
Concrete Shake Tile


SUTHERLAND N827

Roof Plans

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA



A | Spanish Colonial



B | Western Farmhouse

SUTHERLAND N827

COLOR SCHEME #8 LIBRARY SCHEME 11A

C | Craftsman

Front Elevations





Design Elements | Spanish Colonial:

- A Shallow pitch concrete 'S' tile roof (18" Eaves | 12" Rakes)

 B Hipped roof with secondary front facing gable elements

 C Metal accent with stucco recess at front facing gable ends

 D Stucco finish (primary exterior wall material)

 E Thickened stucco base

 F Full ach element at entry porch

 G Recess windows at front elevation (min 2")

 H Decorative plank-style shutters at select windows

 Metal sectional garage door with opt, glass,
 - Sonoma panel style, and 8" recess Window grids at front elevations: 2x2
 - Optional coach light

Design Elements | Western Farmhouse:

- Steep pitch concrete flat tile roof (18" Eaves | 12" Rakes) Gable roof with secondary front facing gable elements Lap siding, with shaped outlooker at front facing gable ends Stucco finish (primary extenior wall material) A Steep pitch concrete flat tile roof (18" Eaves | 18 Gable roof with secondary front facing gable ele.

 (L Lap sidne, with shaped outdooker at front facing.)

 Stucco finish (primary exterior wall material)


 E. Simple por
- Decorative plank-style shutters with diagonal brace at select windows
- Springford Square panel style, and 8" recess Window grids at front elevation: 2x4 Optional coach light
 - 田田

Design Elements | Craftsman:


- Shallow pitch concrete shake tile roof (18" Eaves | 12" Rakes) Gable roof with secondary front facing gable elements
- Board and batten siding, with shaped outlookers at front facing gables
 - Lap siding accents at gable ends Stucco finish (primary exterior wall material)
- Metal sectional garage door with opt, glass, Sonoma Ranch panel style, and 8" recess Window grids at front elevation: (2x2 upper only)
- Manufactured stone with stucco cap
 - Ganged windows at select locations OHES


THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA

FOLSOM, CA



A | Spanish Colonial






B | Western Farmhouse

C | Craftsman


SUTHERLAND N827

A2.5

Front Elevations



© 2019 WILLIAM HEZMALHALCH ARCHTTECTS, ING. DBA WHA | 2018347 | 09-30-19




© 2019 WALLIAM HEZMALHALCH ARCHITECTS, ING, DBA WHA, | 2018347 | 09-30-18



FOLSOM, CA

& RICHMOND


© 2019 WILLIAM HEZNALHALCH ARCHITECTS, ING. DBA WHA. | 2018347 | 09-30-13




A2.9 |

FOLSOM, CA

W RICHMOND







FOLSOM, CA

& RICHMOND

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018347 | 09-30-19



ANDREA N670



-O-14

HALL See See 7 BDRM. 2 FOREST CHESTING

BDRM. 3 FORES

LOFT/OPT. BDRM. 4/BA. 3 POTE. CAPPET 10-11-X 10-6

20-2

39-8

9-6

9-9

15-8-

17.6

39-8

H BY

M. BORM.

38

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA

FOLSOM, CA



ANDREA N670 Opt. Floor Plans


THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA

FOLSOM, CA

RICHMOND







ANDREA N670 Opt. Floor Plans

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA


FOLSOM, CA

A3.3 WHA

200 200 127 0

C | Craftsman

Eave 18" / Rake 12" Concrete Shake Tile



804 (03

 $\underline{\mathcal{Z}}_{i}^{t}$

B | Western Farmhouse

A | Spanish Colonial

Eave 18" / Rake 12" Concrete 'S' Tile

Eave 18" / Rake 12" Concrete Flat Tile

ANDREA N670

Roof Plans

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA


RICHMON.



A3.4 WHA.



A | Spanish Colonial



B | Western Farmhouse

ANDREA N670 Front Elevations

COLOR SCHEME #9 LIBRARY SCHEME 12A

C | Craftsman

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA

Design Elements | Spanish Colonial:

A Shallow pitch concrete 'S' tile roof (18" Eaves | 12" Rakes)

Hipped roof with secondary front facing gable elements

Metal accent with secondary front facing gable ends

Succor finish (primary exterior wall material)

Thickened stucco base

F full arch element at entry porch

Recess windows at front elevation (min 2")

H Decorative plank-style shutters at select windows

Somma area style and R" recesses.

o 5 白

A W

A | Spanish Colonial

囯

日

Ą

- - Sonoma panel style, and 8" recess
 Window grids at front elevations: 2x2

 K Optional coach light

卣

Design Elements | Western Farmhouse:

0

- A Steep pitch concrete flat tile notf (18" Eaves | 12" Rakes)

 6 Gable roof with secondary front facing gable elements

 C Lap stiring, with staped outlooker at front facing gable ends

 D Stucco finish (primary exterior wall material)

 E Simple porch post with knee brace

 F Decorative plank-style shutters with diagonal brace at select windows

 Springford Square panel style, and 8" recess

 H Window grids at front elevation: 2x4

卣

由

山

Design Elements | Craftsman:

- A Shallow pitch concrete shake tile roof (18" Eaves | 12" Rakes)

 6 Gable roof with secondary front facing gable elements

 C Board and batten siding, with shaped outlookers at front facing gables

 D Lap siding accents at gable ends

 E Succo finish (primary exterior wall material)

 F Metal sectional garage door with opt. glass,
 Sonoma Ranch pane Style, and 8" recess

 Window grids at front letvation. (2x2 upper only)

 H Optional coach light


 Tapered columns resting on stone piers

 G Ganged windows at select locations

B | Western Farmhouse

o.

9



C | Craftsman

ANDREA N670

Front Elevations


- A3.6


THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA

RICHMOND STREET

FOLSOM, CA

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018347 | 09-30-19







ANDREA N670 | A - Spanish Colonial Optional Covered Patio

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA

FOLSOM, CA

A3.8






ANDREA N670 | B - Western Farmhouse Optional Covered Patio

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA FOLSOM, CA

RICHMOND.


A3.10 WHA

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018347 | 09-38-19





Front



Rear


Right ANDREA N670 | C - Craftsman Building Elevations COLOR SCHEME #9 LIBRARY SCHEME #2A

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA

M RICHMOND

FOLSOM, CA

© 2019 WILLIAM HEZMALHALDH ARCHITECTS. ING. DBA WHA. | 2018347 | 09-30-19




ANDREA N670 | C - Craftsman Optional Covered Patio

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA

RICHMON.

FOLSOM, CA

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018347 | 09-30-19



© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018347 | 09-30-19


FOLSOM, CA

& RICHMOND




N E


BORN 5





Opt. Walk-In Shower







ALEXA N590 Opt. Floor Plans

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA

OPT. EXT. COVERED PATIO 6-2 INLESS GA. CONT. 25-17 IS-2







ALEXA N590 Opt. Floor Plans

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA

57.3

3.512

1

63.00

11 12 4

2

A | Spanish Colonial

Eave 18" / Rake 12" Concrete 'S' Tile

C | Craftsman

Eave 18" / Rake 12" Concrete Shake Tile

B | Western Farmhouse Eave 18"/ Rake 12" Concrete Flat Tile


ALEXA N590

Roof Plans

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA



A | Spanish Colonial



B | Western Farmhouse

ALEXA N590 Front Elevations

COLOR SCHEME #7 LIBRARY SCHEME 10A

C | Craftsman

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA

FOLSOM, CA

A4.5 |

RICHMOND RES

- Shallow pitch concrete 'S' tile roof (18" Eaves | 12" Rakes)
 - Hipped roof with secondary front facing gable elements Metal accent with slucco recess at front facing gable ends
 - - Stucco finish (primary exterior wall material) Thickened stucco base
- Full arch element at entry porch Recess windows at front elevation (min 2") Decorative plank-style shutters at select windows

 - Metal sectional garage door with opt, glass, Sonoma panel style, and 8" recess Window grids at front elevations: 2x2 Optional coach light

Design Elements | Western Farmhouse:

- A Steep pitch concrete tlat tile roof (18" Eaves | 12" Rakes)

 6 Gable roof with secondary front facing gable elements

 C Lap sding, with shaped outbooker at front facing gable ends

 E Succo finish (primary exterior wall material)

 E Simple porch post with knee brace

 F Decorative plank-style shutters with diagonal brace at select windows

 G Metals sectional garage door with opt. glass.

国


山

- Springford Square panel style, and 8" recess H Window grids at front elevation: 2x4


Design Elements | Craftsman:

- Shallow pitch concrete shake tile roof (18" Eaves | 12" Rakes)
- Gable roof with secondary front facing gable elements Board and batten siding, with shaped outlookers at front facing gables

THE COLL ECTION AT WHITE ROCK SPRINGS RANCH - MESA



A | Spanish Colonial




B | Western Farmhouse




C | Craftsman


ALEXA N590 Front Elevations


A4.6 WHA







© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. 1 2018347 | DB-30-19





© 2019 WALLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018347 | 09-30-19





© 2019 WILLIAM HEZMALHALCH ARCHTTECTS, INC. DBA WHA. | 2018347 | 08-30-19

Planning Commission
White Rock Springs Ranch/Carr Trust Subdivision Residential Design Review (PN 19-310)
October 16, 2019

Attachment 9 Color and Materials Schemes Dated July 21, 2019

Color Scheme #1

Color Scheme #3

Color Scheme #2





THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA
Richardo Jamerican Homes - Northern Calfornia Division
Process Control Finisher

Exterior Color & Materials SCHEME 1 0F 9 ANI MANY COMP ADDRE (0)

SCHEME 1
A' Elevations Only
Spanish Colonal

COLOR #2 FASCIA STUCCO RODFING COLOR #1

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA FRANCH OF A CALEGRAR CALLED ON MERICAN HOMES - NORTHERN CALLEDRIA DIVISION MERICAN HOMES - NORTHERN CALLEDRIA DIVISION

SCHEME 2

'A' Elevations Only
Spanish Colonial



FASCIA

ROOFING

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA FISHINGS MARCH - LADERA FISHINGS MARCH - LADERA PROGRAMMON AMPROXIMATION OF A CONTROL OF A CONTR

Control Color & Materials (W. Marches prove pill to the Color of Materials (W. Marches prove pill to the Color of Materials (W. Marches prove pill to the Color of Marches pill to the Color	Revised 09/14,19 2018346	,		Nerked 08/14,19 2018346		Spanish Coona
Harding of the Management of t	Exterior Co Scheme 3 0F 5 (947 Jacon Intro)	alor &	Materials	* 0.0	4400 PK1 19440	1000000
The control of the co		1		3	Bankeller	
The first of the state of the s	Applied Concept	8		Section See	47)	
With State of the Control of the Con	Mess But to June 1997	5		*Bluck	B	
March Assessment March Aspert E. San Process and San	New Mades			While	3	
Contained Contai	Sales A De	1		Malch Asysom: Dator	Mrse W	š
Services Services Control for the following Services	Tresast Drug	i	1	Coerul Ivery	Gold	1000
Interest to the control of the contr	There form			SW 7537 Institution	Shrwed Still	-
See 600 and the first tensor from the first	Ten Litter 67	1 1	8 8	SW spes	Parent like	(
Section and the section and th	Napa Napa Napa Napa Napa Napa Napa Napa	20		Section 31688	See See	•
A line of the second se	Manufacture Particular Willer	-		SW 7362 Rack Barlom	Second .	ī
The late of the second		Ü	1	Thy \$152 d	AN 1754, M.O. INDUTTER	4. 34 MA
The second secon	ş	4	licase			
		į		A A STATE OF THE PERSON OF THE PERSON		
The same of the same		į	-	-		
		į		America Ca		

Handle Control of the Bandle Control of the	SUPERIOR 2 DE 9 (ARM Made (bruy Surana 87)	THE	E GLIVADOS DALY SPANSO COLOSA.
The second of th	- Kapité	Color	Mandaghere
The state of the s	Auday Occasi Tila	Parket Bay	in)
The state of the s		494	Mr.)
THE PROPERTY OF THE PROPERTY O	Voryl Mindows	No.	#
mark model mark model mark model model model model model model model model model model model model model model model model model model model model model model model model model model mo	Outhers & Cownspouls	March Asperts 2 mm	Service States
To the part of the	Practial Decorative Medalition	Negt Man	Primate Curt to 180
SPAN AND SPA	Stucco Coine	TWING CHARLE	Down Miles
Finds September 1997	Tu B	SWIN TON UNA PASS	Denn Hilas
E. Cash College	Action of the second of the se	TANDS Barty Bress	Street market
Phone present gate over a control of the control of	Account Enlor (applied to). Front Door Studiers	SW GC4	Santa Maria
Ent. Section (Section) Conference of the Confere	AST HAVE AS A TO WELL BOTH A LOWER TO THE SECOND TO THE SE	No State of	UNICARL KNIMDITES DE DIS
Marketine (Thomas present passes on the control of	lan ha		
The state of the s	A dot Assessed to	Charles School place or diversity	
Married and with a filter of the control of the con		The same of the same of	
	Mary des and des	melak intradering the	

Exterior Color & Materials

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

CM-1 WHA



SCHEME 5
THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA
Waster Parlings
Highlight Asserts on American Parlings
Highlight Asserts o

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA
HIGHMOND AMERICAN HOMES - NORTHERN CALFORNA DIMSON
ROCHMOND AMERICAN HOMES - NORTHERN CALFORNA DIMSON
ROCK (SEV. 91) | 70.1846

SCHEME 4
'8 Elevations Only
Western Farmhouse

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA FROWNOW SAFRICAN HOMES - NORTHERN CALFORMA DIVISION MORNOW SYNY IS TRIESON

Exterior Color & Materials SCHERE 4 OF 9

Vinyi Wastawe Gustera A Downsports Harif

ACCENT

FASCIA

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA SCHEME 6

Scheme 100 - 1 (2015)

Edition Legislation of Materials (1915)

Scheme 100 - 1 (2015)

Scheme 100

CATORIOS LOIGE O MATORIAIS	Helita	Common Says	Gedare & Davaspools Sectory in real	White Cow	A STATE OF THE STA	Accord Coar Supply In. Visto Zue States	State but the control of the same of the s	Form this larger to the larger
B ELEVATIONS DNLY WESTERN FIRSTANDISE	Kandaniarer		Theory Street	Throwing Military.	State of Sta	Mean Brans	manufacture (Transco	1
VATIC	1						1	11. 7

Aprilette

Exterior Color & Materials

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA



<u>Color Scheme #7</u>

Color Scheme #8

Color Scheme #9

ROOFING

RODFING



THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA forom Lationa and MANON AMERICAN HOMES - NORTHERN CALIFORNIA DIVISION forom for 151 for 15

Exterior Color & Materials

SCHEME 7
C Elevations Dniy
Craftsman

FASDA THEN THEN

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

TROOM CARRIEDAN HOMES - NORTHERN CALIFORNA DIVISON

TO Evadient Only
The Collection of California California California

The Collection of California Califo

Exterior Color & Materials scheme 8 OF 0

STEEL MANDROS



FASCIA

THE COLLECTION AT WHITE RUCK SPRINGS RANCH - LADERA SCHEME FASON CARROLL COLLECTION AT WHITE RUCK SPRINGS - US ENVIRON ENTRY OF THE PROPERTY O





Exterior Color & Materials


THE COLLECTION AT WHITE ROCK SPRINGS RANCH - LADERA

FOLSOM, CA









COLOR #2

FASCIA

Color Scheme #3

RDDFING

SCHEME 3
'A' Elevations Only
Spanish Colonial

SCHEME 1 'A' Elevations Only Spanish Colonial

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA reach, Calona Calmona Adelican Homes - Northern Californa Division Names gene 13 may 7

Exterior Color & Materials control to y

Married Colors (1992)	SCHEME 2 OF 9 ANY Mode Laipy Specie 50	Shele (S)	40,00	ALEXANDES AND SPINISH COLOURS.
The Color of the C		Page 1	***	Mandachaer
And the state of t	Market Contract	2	Sans Sans Sans	Sage
More of the contract of the co	CASH SPERSON	# 10	tost	Eagle
Microsytem In the Property of	Very Mindage.	Cartary Seconds	*9	2
The second secon	Service Services	New Yorks and Name of Street, or other Persons a	Managemen	Share intent
Control of the contro	Mans (5.77)	and hope	TH TLL: 14 Day	West Blank
The second secon	31	Copresting	The spain	Owner Smiles
cat no cat and cat and		appleto.	3W GBU Beefy 7 Am	Course Bally Co.
C of the contract of the contr	Shulten		S S S S S S S S S S S S S S S S S S S	Occasi Sillary.
City of the Constraint of the	Water Accept		Section Sectio	The set Names
Among any face,	STANDARD BY	Selection of treatment		STREET, SQUARE, ST.
tony are passes	4,600			
	- fear	in passe		
		The second second	Acceptance of the con-	
With a description of the contract of the con-		All Annual Contractions		

SW 5153 Protago Bronze

And the second sec

Exterior Color & Materials

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA

CM-1 WHA





SCHEME 5
'6' Ekvalions Only
Western Farmhouse THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA RESON, CALONINA ON AMERICAN HOMES - NORTHERN CALIFORNIA DIVISION SCARCE SPACHIEL TO SELFORM DIVISION Exterior Color & Materials

SW 7018 Devetal

SCHEME 4 B' Elevations Drily Western Farmhouse

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA fright, califoration and the state of the sta

B' ELEVATIONS ONLY, WESTERN FARMHOUSE

Exterior Color & Materials scheme of 9



Section 1997 1997 1997 1997 1997 1997 1997 199	BERNINDIS BERNIN	Exterior Color & Materials	20	Materials		
Section of the control of the contro	The second secon	DENERORS	1		B ELEVATION	45 ONQ.Y, WESTERN FARM
The transport of the control of the	The first plants are all the first plants are		Malten		Satur	Mondachery
A Service (Text) (Man) (A Seminary (no. / May) A Seminary B Semi		10.0		NAMES OF THE PERSON	50
An American (104 and board) (1	The desired bands of the control of	Yard Mindows	(lector)	(unity)	· ·	3
it is and many in the second of the second o	(i.e. and house) See and house) See and house Se	Collers & Gows	spods		Walt Squarter	Separa Milan
The second is a second in the	The second secon	Blacco (16/20 s	and brus	9	SPANNE	Demostrat
And the state of t	The state of the s	Then Color (App Bares Bares Fans) Fascu Gazed Safer Sarcad On Fast Secontry Sacco for	Doors Doors		SW 781	live style
	The second secon	Access Ealer for Comer Bas Frant Ocer	polad 3		Water Park	Sle'ten Mi pol
Dista	Paris :		102	A WENCE IN SECTION	-	
100		Number	Pie.	Jest Walter		
			411	Marin Balay Province mary stage	AND THE PROPERTY.	
					1	

Exterior Color & Materials

THE COLLECTION AT WHITE ROCK SPRINGS RANGH - MESA

FOLSOM, CA

W RICHMOND

CM-2 | WHA

© 2019 WILLIAM HEZMALHALCH ARCHITECTS, INC. DBA WHA. | 2018347 | 08-30-19



Color Scheme #9

Color Scheme #8

ROOFING



THE COLLECTION AT WHITE ROCK SPRINGS RANCH - MESA fear Californ fear Californ Adelican Homes - Northern California Division reses becare 1 201817

SCHEME 8 C Elevations Only Craftsman TRIM STUCCO ACCENT COLOR SIDING

TRIM

FASCIA

FASCIA

STUCCO

SIDING

THE COLLECTION AT WHITE ROCK SPRINGS BANCH - MESA read calculate read and calculate and american homes - northern calforna division season spacial stass?

Exterior Color & Materials Schede 6 DF 9 SM Must Lawy Summ 1741

C FLEWERING ONCY COURTSONS


Exterior Color & Materials SCHOKE 7 0F 9 Bertham Lawy School 18th

The state of the s

SW 7048 Urbave Brave







	Dute Countin
	Please graph And walling the manded and I get Non
	11 Antiona
. 10	State and descriptions that he are to be a very fine
-	down nothing a Silva by the harm salvant for any explanation

Exterior Color & Materials

THE COLLECTION AT WHITE ROCK SPRINGS RANCH - IMESA

CM-3 WHA

FOLSOM, CA



Planning Commission White Rock Springs Ranch/Carr Trust Subdivision Residential Design Review (PN 19-310) October 16, 2019

Attachment 10 White Rock Springs Ranch Design Guidelines

WHITE ROCK SPRINGS RANCH

DESIGN GUIDELINES







FOLSOM CALLFORNIA

2

ARCHITECTURAL DESIGN GUIDELINES




a spalle in Green Sea or a Associate

ARCHITECTURAL GUIDING PRINCIPLES


The following residential guiding principles will guide the architecture to ensure quality development:

- Provide a varied and interesting streetscene.
- Focus of the home is the front elevation, not the garage.
- Provide a variety of garage placements.
- Provide detail on rear elevations where visible from the public streets.
- Choose appropriate massing and roof forms to define the architectural styles.
- Ensure that plans and styles provide a degree of individuality.
- Use architectural elements and details to reinforce individual architectural styles.

GENERAL ARCHITECTURAL STYLES









GENERAL ARCHITECTURAL GUIDELINES

Edge Conditions

Edge conditions are situations where home sites are visible from public ways, major arterials, community perimeter edges, and open space. Side and rear elevations visible from the public realm, such as open spaces and major roadways, shall incorporate the same enhanced details used on the front elevation. Homes sites that are highly visible warrant special attention to any visible building faces to present an authentic and cohesive appearance. The continuation of style-specific architectural elements from the front facade around to teh side and rear elevations creats an authentic architectural statement. Blank, unadorned building faces are never permitted. The front elevation should be highly detailed; the rear elevation should exhibit the same style-specific architectural elements; typical side elevations may exhibit fewer style-specific architectural elements, while corner lots will feature the same consistent level of detail on both the side and rear elevations.

Silhouettes and massing of homes along edges require design sensitivity. A row of homes with a single front or rear facing gable are prohibited. The following should be considered and incorporated in the design of the side and rear elevations along edge conditions:

- A balance of hip and gable roof forms;
- Single-story elements;
- Offset massing or wall planes (on individual plans or between plans);
- Roof plane breaks (on individual plans or between plans);
- Use of multiple building materials;
- Varied window shapes and sizes;
- Detail elements (as listed under each architectural style) used on the front elevation shall be applied to the side and rear elevations.

MAP OF LOTS WITH EDGE CONDITIONS



Roof Forms

Rows of homes seen along major community roadways are perceived by their contrast against the skyline or background. The dominant impact is the shape of the building and roofline. To minimize the visual impact of repetitious flat planes, similar building silhouettes and similar ridge heights, discernibly different roof plans for each home plan shall be designed. Individual roof plans may be simple but, between different plans, should exhibit variety by using front to rear, side-to-side, gables, hipped roofs, and/or the introduction of single story elements.

The following roof design guidelines should also be considered:

- Provide a mix of gable and hip roofs along the streetscene.
- Design roofs for maximum solar exposure for the potential installation of solar features.
- Consider deep overhangs where appropriate to the style to provide additional shade and interior cooling.
- Offset roof planes, eave heights, and ridge lines.

Corner Buildings

Buildings located on corners often times function as neighborhood entries and highlight the architecture for the overall White Rock Springs Ranch community. Buildings located on corners shall include one of the following:

- Front and side facade articulation using materials that wrap around the corner-side of the building;
- Awning on corner side;
- Home entry on corner side; garage side plotting of homes is prohibited on corners; architecturally enhanced corner treatment is encourages;
- Corner facing garage;
- A pop-out side hip, gable, or shed form roof;
- An added single-story element, such as a wrap-around porch or balcony;
- Recessed second-story (up to 35' max.); or
- Balcony on corner side.

ROOF FORMS AND CORNER BUILDING EXAMPLES







WHITE ROCK SPRINGS RANCH | DESIGN GUIDELINES

Front Elevations

Front elevations shall be detailed to achieve a variety along the street scene. Each front elevation shall incorporate a Feature Window treatment (see Feature Window requirements on page 2-6). In addition, each front elevation shall incorporate one or more of the following techniques:

- Provide enhanced style-appropriate details on the front elevation.
- Offset the second story from the first level for a portion of the second story.
- Vary the wall plane by providing projections of elements such as bay windows, porches, and similar architectural features.
- Create recessed alcoves and/or bump-out portions of the building.
- Incorporate second-story balconies.
- Create interesting entries that integrate features such as porches, courtyards, large recessed entry alcoves, or projecting covered entries with columns.
- Use a minimum of two building materials or colors on the front elevation.

FRONT ELEVATION EXAMPLES













WHITE ROCK SPRINGS RANCH | DESIGN GUIDELINES

Feature Windows

All front and visible edge elevations shall incorporate one Feature Window treatment that articulates the elevation. Feature Window options include:

- A window of unique size or shape;
- Picture window:
- A bay window projecting a minimum of 24 inches, or a 12 inch pop-out surround;
- A window with a substantial surround matching or contrasting the primary color of the home;
- A window recessed a minimum of 2 inches;
- Decorative iron window grilles;
- Decorative window shelves or sill treatments;
- Grouped or ganged windows with complete trim surrounds or unifying head and/or sill trim:
- A Juliet balcony with architectural style appropriate materials;
- Window shutters; or
- Trellis protruding a minimum of 12 inches from the wall plane of the window.

Windows

Windows on south-facing exposures should be designed, to the greatest extent possible, to maximize light and heat entering the home in the winter, and to minimize light and heat entering in the summer.

West-facing windows should be shaded where feasible to avoid prolonged sun exposure/overheating of the homes.

Shading alternatives for west-facing shall be complementary to and appropriate for the architectural style of the home. Shading alternatives may include:

Trellises as described above:

October I 2015

- Applied shed roof elements over windows;
- Cloth, metal, or wood awnings as appropriate to the building's architectural style


FEATURE WINDOW EXAMPLES



Example of a Juliet Balcony



Ecomole of Decorotive Sills and Shutters



Garage Door Treatments

Appropriate treatment of garage doors will further enhance the building elevation and decrease the utilitarian appearance of the garage door. Various garage door patterns, windows, and/or color schemes should be applied as appropriate to individual architectural styles, where feasible.

- Garage doors shall be consistent with the architecture of the building to reduce the overall visual mass of the garage.
- Garage doors shall be recessed from the wall plane.
- All garage doors shall be automatic section roll-up doors.
- Where appropriate, single garage doors are encouraged.
- Carriage-style garage doors of upgraded design are encouraged.

Street Facing Garages

All street facing garages should vary the garage door appearance along the streetscene. Below are options for the door variety:

- Vary the garage door pattern, windows, and/or color as appropriate to individual architectural styles.
- Use an attached overhead trellis installed beneath the garage roof fascia and/or above garage door header trim.
- Span the driveway with a gated element or overhead trellis.
- Provide a porte cochere.
- Street facing garages on corner lots at neighborhood entries shall be located on the side of the house furthest away from the corner.

GARAGE DOOR TREATMENT EXAMPLES



Porte Cachere with Garage at Rear of House



Example of Separated Three Car Garage



Example of Separated Three Car Garage



Building Forms

Building form, detail, and placement greatly influences how a structure is perceived based on how light strikes and frames the building. The effect of sunlight is a strong design consideration, as shadow and shade can lend a sense of substance and depth to a building. The following elements and considerations can be used to facilitate the dynamic of light and depth perception of the building.

Architectural Projections

Projections can create shadow and provide strong visual focal points. This can be used to emphasize design features such as entries, major windows, or outdoor spaces. Projections are encouraged on residential building forms. Projections may include, but are not limited to:

- Awnings (wood, metal, cloth)
- Balconies
- Shutters
- Eave overhangs
- Projecting second- or third-story elements
- Window/door surrounds
- Tower elements
- Trellis elements
- Recessed windows
- Porch elements
- Bay windows or dormers
- Shed roof elements

Offset Massing Forms

Front and street-facing elevations may have offset masses or wall planes (vertically or horizontally) to help break up the overall mass of a building.

- Offset forms are effective in creating a transition:
 - Vertically between stories, or
 - Horizontally between spaces, such as recessed entries.
- Offset massing features are appropriate for changes in materials and colors.
- Offsets should be incorporated as a functional element or detail enhancement.
- Over-complicated streetscenes and elevations should be avoided.
- Streetscenes should provide a mix of simple massing elevation with offset massing elements to compose an aesthetic and understandable streetscape.



Floor Plan Plotting


In each single-family detached neighborhood with a minimum of up to 50 homes, provide:

- Three floor plans.
- Two elevations for each floor plan using a minimum of two architectural styles. If only two styles are selected, elevations shall be significantly different in appearance.
- A minimum of three different color schemes for each floor plan.

In each single-family detached neighborhood with more than 50 homes, provide:


- Four floor plans.
- Three elevations for each floor plan using a minimum of three architectural styles. Elevations shall be significantly different in appearance.
- A minumum of three different color schemes for each floor plan.

In each single-family detached neighborhood, street facing garages on corner lots at neighborhood entries shall be located on the side of the house furthest away from entry corner, per the examples shown to the right.





Examples of preferred Comer Lot Street Facing Garage Placement





Examples of undestrable Comer Lot Street Facing Garage Placement

White Rock Springs Ranch | Design Guidelines

Style Plotting

To ensure that architectural variety occurs, similar elevations cannot be plotted adjacent to or immediately across the street from one another. Two of the same floor plan/elevations shall not be plotted next to each other or directly across the street from one another. This avoids repetition and helps to convey the idea that a neighborhood has been built over time. (Refer to Section Four for Design Review process.) The following describes the minimum criteria for style plotting:

- For a home on a selected lot, the same floor plan and elevation is not permitted on the lot most directly across from it and the one lot on either side of it.
- Identical floor plans may be plotted on lots across the street from each other provided a different elevation style is selected for each floor plan.

Color Criteria

To ensure variety of color schemes, like color schemes cannot be plotted adjacent to or immediately across the street from on another. Color and material sample boards shall be submitted for review along with the Master Plot Plan. (Refer to Section Four.)

A color scheme for a home on a selected lot may not be repeated (even if on a different floor plan) on the three lots most directly across from it and on the single lot to each side of it.



Example of a Variety of Architectural Styles

Lower Height Elements

Lower height elements are important to streetscene variety, especially for larger buildings or masses, as they articulate massing to avoid monotonous single planes. These elements also provide a transition from the higher story vertical planes to the horizontal planes of sidewalk and street, and help to transition between public and private spaces. Lower height elements are encouraged to establish pedestrian scale and add variety to the streetscene. Lower height elements may include any one of the following, but are not limited to:


- Porches
- Entry features
- Interior living spaces
- Courtyards
- Bay windows
- Trellises

Balconies

Balconies break up large wall planes, offset floors, create visual interest to the facade, provide outdoor living opportunities, and adds human scale to a building. Scaled second story balconies can have as much impact on stepped massing and building articulation as a front porch or lower height elements. Balcony elements:

- May be covered or open, recessed into or projecting from the building mass.
- Shall be an integral element of, and in scale with, the building mass, where appropriate.
- Are discouraged from being plotted sideby-side at the same massing level (i.e. mirrored second-story balconies).









WHITE ROCK SPRINGS RANCH | DESIGN GUIDELINES

Roof Considerations

Composition and balance of roof forms are as definitive of a streetscape as the street trees, active architecture, or architectural character.

- Rooflines and pitches, ridgelines and ridge heights should create a balanced form to the architecture and elevation.
- Direction of ridgelines and/or ridge heights should vary along a streetscene.
- Roof overhangs (eaves and rakes) may be used as projections to define design vocabulary and create light and shade patterns.
- Hip, gable, shed, and conical roof forms may be used separately or together on the same roof or streetscene composition.
- Roof form and pitch shall be appropriate to the massing and design vocabulary of the home.

Outdoor Living Spaces

Outdoor living spaces, including porches, balconies, and courtyards, activate the streetscene and promote interaction among neighbors. Outdoor living spaces can also create indoor/outdoor environments opening up the home to enhance indoor environmental quality. Wherever possible, outdoor living space is encouraged.





Materials

The selection and use of materials has an important impact on the character of each neighborhood and the community as a whole. Wood is a natural material reflective of many architectural styles; however, maintenance concerns, a design for long-term architectural quality and new high-quality manufactured alternative wood materials make the use of real wood elements less desirable. Where "wood" is referred to in these guidelines, it can also be interpreted as simulated wood trim with style-appropriate wood texture. Additionally, some styles can be appropriately expressed without the wood elements, in which case stucco-wrapped, high-density foam trim (with style-appropriate stucco finish) is acceptable. Precast elements can also be satisfied by high-density foam or other similar materials in a style-appropriate finish.

- Brick, wood, and stone cladding shall appear as structural materials, not as applied veneers.
- Material changes should occur at logical break points.
- Columns, tower elements, and pilasters should be wrapped in its entirety.
- Materials and colors should be varied to add texture and depth to the overall character of the neighborhood.
- The use of flashy or non-traditional materials or colors that will not integrate with the overall character of the community is prohibited.
- Material breaks at garage corners shall have a return dimension equal to or greater than the width of the materials on the garage plane elevation.

- Use durable roofing and siding materials to reduce the need for replacement.
- Use local, recycled and/or rapidly renewable materials to conserve resources and reduce energy consumption associated with the manufacturing and transport of the materials. (Refer to Section Four for Design Review process.)

Exterior Structures

Exterior structures, including but not limited to, porches, patio covers, and trellises shall reflect the character, color, and materials of the building to which they are related.

- Columns and posts should project a substantial and durable image.
- Stairs should be compatible in type and material to the deck and landing.
- Railings shall be appropriately scaled, consistent with the design vernacular of the building, and constructed of durable materials.
- Exposed gutters and downspouts shall be colored to complement or match the fascia material or surface to which they are attached.

Accessory Structures

Accessory structures should conform to the design standards, setbacks, and height requirements of the Folsom Municipal Code. If visible to the public realm from the front, side or rear lot line, the accessory structure shall include the same detail-style elements used in the primary structure's architecture.



Lighting

Appropriate lighting is essential in creating a welcoming evening atmosphere for the White Rock Springs Ranch community. As a forward-thinking community, White Rock Springs Ranch will institute dark sky recommendations to mitigate light pollution, cut energy waste, and protect wildlife. All lighting shall be aesthetically pleasing and non-obtrusive, and meet the dark sky recommendations.

- All exterior lighting shall be limited to the minimum necessary for public safety.
- All exterior lighting shall be shielded to conceal the light source, lamp, or bulb.
 Fixtures with frosted or heavy seeded glass are permitted.
- Each residence shall have an exterior porch light at its entry that complements the architectural style of the building.
- Where feasible, lighting should be on a photocell or timer.
- Low voltage lighting shall be used whenever possible.

Address Numbers

To ensure public safety and ease of identifying residences by the Fire and Police Departments, address numbers shall be lighted or reflective and easily visible from the street.

RESIDENTIAL ARCHITECTURAL STYLES

White Rock Springs Ranch is envisioned as a sustainable, contemporary community where architectural massing, roof forms, detailing, walls, and landscape collaborate to reflect historic, regional, and climate-appropriate styles.

The design criteria established in this section encourages a minimum quality design and a level of style through the use of appropriate elements. Although the details are important elements that convey the style, the massing and roof forms are essential to establishing a recognizable style. The appropriate scale and proportion of architectural elements and the proper choice of details are all factors in achieving the architectural style.

The following styles can be used within White Rock Springs Ranch:

- Spanish Colonial
- Monterey
- Western Farmhouse
- Craftsman
- California Ranch
- California Wine Country
- California Prairie

Additional architectural styles compatible with the intent of these guidelines and the neighborhood vision will be reviewed and approved by the Architectural Review Committee on a case by case basis.

The following pages provide images and individual "style elements" that best illustrate and describe the key elements of each style. They are not all mandatory elements, nor are they a comprehensive list of possibilities. Photographs of historic and current interpretations of each style are provided to inspire and assist the designer in achieving strong, recognizable architectural style elevations. The degree of detailing and/or finish expressed in these guidelines should be relative to the size and type of building upon which they are applied.

These images are for concept and inspiration only and should not be exactly replicated.

Spanish Colonial

This style evolved in California and the southwest as an adaptation of Mission Revival infused with additional elements and details from Latin America. The style attained widespread popularity after its use in the Panama-California Exposition of 1915.

Key features of this style were adapted to the California lifestyle. Plans were informally organized around a courtyard with the front elevation very simply articulated and detailed. The charm of this style lies in the directness, adaptability, and contrasts of materials and textures.

Spanish Colonial Style Elements:

- Plan form is typically rectangular or "L"-shaped.
- Roofs are typically of shallower pitch with "S" or barrel tiles and typical overhangs.
- Roof forms are typically comprised of a main front-to-back gable with front-facing gables.
- Wall materials are typically stucco.
- Decorative "wood" beams or trim or typical.
- Segmented or full-arch elements are typical in conjunction with windows, entry, or the porch.
- Round or half-round tile profiles are typical at front-facing gable ends.
- Arcades are sometimes utilized.
- Windows may be recessed, have projecting head or sill trim, or be flanked by plankstyle shutters.
- Decorative wrought-iron accents, grille work, post or balcony railing may be used.

SPANISH COLONIAL EXAMPLES
















11 17 75 611

The Monterey style is a combination of the original Spanish Colonial adobe construction methods with the basic two-story New England colonial house. Prior to this innovation in Monterey, all Spanish colonial houses were of single story construction.

First built in Monterey by Thomas Larkin in 1835, this style introduced two story residential construction and shingle roofs to California. This Monterey style and its single story counterpart eventually had a major influence on the development of modern architecture in the 1930's.

The style was popularized by the used of simple building forms. Roofs featured gables or hips with broad overhangs, often with exposed rafter tails. Shutters, balconies, verandas, and porches are integral to the Monterey character. Traditionally, the first and second stories had distinctly different cladding material; respectively siding above with stucco and brick veneer base below.

The introduction of siding and manufactured materials to the home building scene allowed for the evolution of the Monterey home from strictly Spanish Adobe construction to a hybrid of local form and contemporary materials. Siding, steeper pitched flat tile roofing, and the cantilevered balcony elements on the Monterey house define this native California style.

Monterey Style Elements:

- Plan form is typically a simple two-story box.
- Roofs are typically shallow to moderately pitched with flat concrete tile or equal; "S" tile or barrel tile are also appropriate.
- Roof forms are typically a front-to-back gable with typical overhangs.
- Wall materials are typically comprised of stucco, brick, or siding.
- Materials may contrast between first and second floors.
- A prominent second-story cantilevered balcony is typically the main feature of the elevation; two-story balconies with simple posts are also appropriate.
- Simple Colonial corbels and beams typically detail roof overhangs and cantilevers.
- Balcony or porch is typically detailed by simple columns without cap or base trim.
- Front entry is typically traditionally pedimented by a surround, porch, or portico.
- Windows are typically accented with window head or sill trim of colonial-style and louvered shutters.

MONTEREY EXAMPLES











White Rock Springs Ranch | Design Guidelines

Western Farmhouse

The Farmhouse represents a practical and picturesque country house. Its beginnings are traced to both Colonial styles from New England and the Midwest. As the American frontier moved westward, the American Farmhouse style evolved according to the availability of materials and technological advancements, such as balloon framing.

Predominant features of the style are large wrapping front porches with a variety of wood columns and railings. Two story massing, dormers, and symmetrical elevations occur most often on the New England Farmhouse variations. The asymmetrical, casual cottage look, with a more decorated appearance, is typical of the Western American Farmhouse. Roof ornamentation is a characteristic detail consisting of cupolas, weather vanes, and dovecotes.

Western Farmhouse Style Elements:

- Plan form is typically simple.
- Roofs are typically of steeper pitch with flat concrete tiles or equal.
- Roof forms are typically a gable roof with front-facing gables and typical overhangs.
- Roof accents sometimes include standing-seam metal or shed forms at porches.
- Wall materials may include stucco, horizontal siding, and brick.
- A front porch typically shelters the main entry with simple posts.
- Windows are typically trimmed in simple colonial-style; built-up head and sill trim is typical.
- Shaped porch columns typically have knee braces.

WESTERN FARMHOUSE EXAMPLES











White Rock Springs Ranch | Design Guidelines

Craftsman

Influenced by the English Arts and Crafts movement of the late 19th century and stylized by California architects like Bernard Maybeck in Berkeley and the Greene brothers in Pasadena, the style focused on exterior elements with tasteful and artful attention. Originating in California, Craftsman architecture relied on the simple house tradition, combining hip and gable roof forms with wide, livable porches, and broad overhanging eaves. The style was quickly spread across the state and across the country by pattern books, mail-order catalogs, and popular magazines.

Extensive built-in elements define this style, treating details such as windows and porches as if they were furniture. The horizontal nature is emphasized by exposed rafter tails and knee braces below broad overhanging eaves constructed in rustic-textured building materials. The overall effect was the creation of a natural, warm, and livable home of artful and expressive character. Substantial, tapered porch columns with stone piers lend a Greene character, while simpler double posts on square brick piers and larger knee braces indicate a direct Craftsman reference to the style of California architect Bernard Maybeck.

Craftsman Style Elements:

- Plan form is typically a simple box.
- Roofs are typically of shallower pitch with flat concrete tiles or equal and exaggerated eaves.
- Roof forms are typically a side-to-side gable with cross gables.
- Roof pitch ranges from 3:12 to 5:12 typically with flat concrete tiles or equal.
- Wall materials may include stucco, horizontal or shingle siding, and stone.
- Siding accents at gable ends are typical.
- A front porch typically shelters the main entry.
- Exposed rafter tails are common under eaves.
- Porch column options are typical of the Craftsman style:
 - Battered tapered columns of stone, brick, or stucco
 - Battered columns resting on brick or stone piers (either or both elements are tapered)
 - Simpler porch supports of double square post resting on piers (brick, stone, or stucco); piers may be square or tapered.
- Windows are typically fully trimmed.
- Window accents commonly include dormers or ganged windows with continuous head or sill trim.

CRAFTSMAN EXAMPLES











White Rock Springs Ranch | Design Guidelines

California Ranch

A building form rather than an architectural style, the Ranch is primarily a one-story rambling home with strong horizontal lines and connections between indoor and outdoor spaces. The "U"- or "L"-shaped open floor plan focused on windows, doors, and living activities on the porch or courtyard. The horizontal plan form is what defines the Ranch.

The applied materials, style, and character applied to the Ranch have been mixed, interpreted, adapted, and modernized based on function, location, era, and popularity.


This single-story family oriented home became the American dream with the development of tract homes in the post-World War II era. Simple and affordable to build, the elevation of the Ranch was done in a variety of styles. Spanish styling with rusticated exposed wood beams, rafter tails under broad front porches, and elegantly simple recessed windows were just as appropriate on the Ranch as the clean lines of siding and floor to ceiling divided-light windows under broad overhanging laminate roofs.

Details and elements of the elevation of a Ranch should be chosen as a set identifying a cohesive style. Brick and stucco combinations with overly simple sill trim under wide windows with no other detailing suggests a Prairie feel, while all stucco, recessed windows, and exposed rusticated wood calls to mind a Hacienda ranch.

California Ranch Style Elements:

- Plan form is typically one-story with strong horizontal design.
- Roofs are typically shallow pitched with "S" tile, barrel tile, or flat concrete tile.
- Roof forms are typically gable or hip with exaggerated overhangs.
- Wall materials are commonly comprised of stucco, siding, or brick.
- A porch, terrace, or courtyard is typically the prominent feature of the elevation.
- Exposed rafter tails are typical.
- Porch is commonly detailed by simple posts or beams with simple cap or base trim.
- Front entry is typically traditionally pedimented by a surround, porch, or portico.
- Windows are typically broad and accented with window head and sill trim, shutters, or are recessed.
- A strong indoor/outdoor relationship joined by sliding or French doors, or bay windows is common.

CALIFORNIA RANCH EXAMPLES











WHITE ROCK SPRINGS RANCH | DESIGN GUIDELINES

CALIFORNIA WINE COUNTRY

California Wine Country architecture is typically a simple structure that takes advantage of 360 degree views while staying true to the nature of the land. This rustic and sophisticated style is appreciative of the surrounding topography and softens the lines between indoor and outdoor living. The California Wine Country style is diverse and borrows details from Tuscan and European architecture and reworks them into something that is particularly California. This casual and sophisticated style incorporates the agricultural vernacular into the structure and creates a form that is luxurious yet approachable.

California Wine Country Style Elements:

- Simple rectangular form may be layered to create casual massing; often asymmetrical.
- Low-pitched gabled primary roofs (3:12 to 5:12) are common.
- Shed porches are typical.
- Roofs are typically barrel tile or "S"-tile.
- Exposed rafter tails enhance an elevation.
- Stucco can be the primary wall material, but overgrouted stone or brick is also common.
- Windows with head and sill trim or full surrounds are typical.
- Rustic column posts and wood railings are typical.
- A massive chimney (battered or tapered) clad in stucco, stone, or brick is common.
- Wood trellises, shutters, and/or applied sheds over windows are typical details.

CALIFORNIA WINE COUNTRY EXAMPLES













WHITE ROCK SPRINGS RANCH | DESIGN GUIDELINES

CALIFORNIA PRAIRIE

The Prairie style, generated by the Chicago Prairie School movement, is organic in nature and integrated with the land, and uses natural materials and abstracted natural forms. Its strong horizontal lines, low-pitched roof with large overhanging eaves, and windows assembled in horizontal bands are indicative of this style. The Prairie style is also known for incorporating open floor plans within the home. The California Prairie style will add a strong horizontal aspect within the White Rock Springs Ranch community.

California Prairie Style Elements:

- Form is one or two-story with strong horizontal massing.
- Secondary masses are perpendicular to the primary forms.
- Roofs are long horizontal low-pitched hip roofs with large overhanging eaves that emphasize the horizontal planes.
- Roof overhangs are 36" minimum.
- Roof pitch ranges from 3.5:12 to 4:12 typically with flat concrete tiles or equal.
- Stucco walls with ledge stone or masonry is typical.
- Extensive use of ledge stone or brick to emphasize the horizontal planes is indicative of the Prairie style.
- Square or rectangular windows with wood trim may be grouped to emphasize the geometry of the building form.
- Ribbons of windows arranged in horizontal bands is common.
- Massive chimney forms wrapped in stone or brick is an enhanced detail of this style.
- Terraces covered by the primary roof form with large rectilinear stone piers for roof support is typical.

CALIFORNIA PRAIRIE EXAMPLES















